

16951A21A7	KALWA VISHAL PRAKASH	ENG	30.43	LAODE	48.64	EC	39.39	AP	31.42	ED	32.65	COMM LAB	0.00
16951A0206	KANDUROLU BHARATH	LAODE	97.61	EC	94.73	EP&C LAB	100.00	CMIC	94.73	EP	93.33	CP	96.87
16951A2160	ROHAN VIMAL	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0593	MALLAPRAGADA NAGASRIKIHIL	LAODE	87.17	EC	85.71	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	87.50
16951A0402	MITTA ABHISHEK REDDY	LAODE	75.00	EC	75.75	EP&C LAB	80.00	CMIC	72.09	EP	76.47	CP	65.62
16951A0367	RITHVIK REDDY POLUSANI	ENG	61.53	LAODE	68.57	EC	62.85	AP	65.71	ED	38.00	COMM LAB	75.00
16951A0119	DHANIREDDY SUBBA REDDY	ENG	96.00	LAODE	88.09	EC	93.54	AP	80.95	ED	86.66	COMM LAB	25.00
16951A0462	CHILAKAMARRI KRISHNA LOHITHA	LAODE	83.33	EC	87.50	EP&C LAB	100.00	CMIC	89.74	EP	84.37	CP	88.23
16951A05G8	KOTI SAI VARSHITH	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	96.66	CP	97.05
16951A05G5	ALAMURU SAI SURYA SANJAY	LAODE	94.59	EC	96.77	EP&C LAB	100.00	CMIC	91.66	EP	96.66	CP	94.11
16951A0385	GANTI SUNDARA NARAYANA DHANENDRA SARMA	ENG	96.15	LAODE	97.14	EC	97.14	AP	97.14	ED	94.00	COMM LAB	100.00
16951A04H4	SHIVAM SINGH	LAODE	87.50	EC	85.71	EP&C LAB	85.71	CMIC	87.80	EP	94.11	CP	84.84
16951A04L0	GURRAM UMA MAHESHWARA RAO	LAODE	90.00	EC	85.71	EP&C LAB	85.71	CMIC	87.80	EP	94.11	CP	90.90
16951A05M6	KUPPILI TEJESH CHANDRA	LAODE	71.87	EC	69.69	EP&C LAB	66.66	CMIC	66.66	EP	75.00	CP	72.72
16951A04E4	JAMI SAI SRI HARSHA	LAODE	92.10	EC	86.20	EP&C LAB	85.71	CMIC	92.30	EP	87.50	CP	94.11
16951A0471	CHIPPA LOKESH KUMAR	LAODE	85.71	EC	96.87	EP&C LAB	100.00	CMIC	92.30	EP	93.75	CP	94.11
16951A0493	RYALAPATI NAVEEN KUMAR	LAODE	78.57	EC	87.50	EP&C LAB	83.33	CMIC	76.92	EP	87.50	CP	79.41
16951A0216	NEERAJ SAHANI	LAODE	85.71	EC	81.57	EP&C LAB	71.42	CMIC	78.94	EP	90.00	CP	81.25
16951A04C4	POTTENNAGARI RUSHI KESAVA REDDY	LAODE	68.42	EC	58.62	EP&C LAB	100.00	CMIC	71.79	EP	71.87	CP	70.58
16951A05G2	KASARA SAI PRATYUSH REDDY	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0201	KUNA AKSHAY KUMAR	LAODE	95.23	EC	89.47	EP&C LAB	100.00	CMIC	97.36	EP	90.00	CP	93.75
16951A05J6	BALLA SIVA CHAKRAVARTHY	LAODE	87.50	EC	90.90	EP&C LAB	83.33	CMIC	86.66	EP	91.66	CP	90.90
16951A05J7	SNEHA PANDA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05G7	THOTAKURA SAI TEJASWI	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	100.00	CP	100.00
16951A04A8	A PRANEETH	LAODE	97.61	EC	96.87	EP&C LAB	100.00	CMIC	100.00	EP	93.75	CP	97.05
16951A04B3	RACHAKATLA RAHUL	LAODE	64.28	EC	84.37	EP&C LAB	83.33	CMIC	82.05	EP	75.00	CP	79.41
16951A04C6	RACHAKATLA SAHITHI	LAODE	78.94	EC	79.31	EP&C LAB	71.42	CMIC	84.61	EP	81.25	CP	73.52

16951A0454	GADDAMEDDI KEERTHANA	LAODE	87.50	EC	90.90	EP&C LAB	80.00	CMIC	90.69	EP	91.17	CP	93.75
16951A0162	GINKA SANJAY	ENG	83.33	LAODE	92.85	EC	90.90	AP	94.73	ED	86.66	COMM LAB	100.00
16951A05E0	KUCHIPUDI RAVITEJA	LAODE	72.97	EC	61.29	EP&C LAB	85.71	CMIC	75.00	EP	63.33	CP	70.58
16951A04G0	BACHU SANMATHI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	97.05
16951A04E6	CHILAMALA SAI TEJA	LAODE	89.47	EC	86.20	EP&C LAB	85.71	CMIC	84.61	EP	87.50	CP	85.29
16951A05J1	GOTTAM GOWTAM SAI SANKAR	LAODE	93.75	EC	93.93	EP&C LAB	100.00	CMIC	86.66	EP	91.66	CP	96.96
16951A05F7	GUMMADI SAI MAHITHA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04F8	J SANDHYA	LAODE	94.73	EC	96.55	EP&C LAB	100.00	CMIC	94.87	EP	96.87	CP	97.05
16951A2137	NARESH SEERVI	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0182	VASANTHA PRIYA VUPPALA	ENG	88.88	LAODE	85.71	EC	84.84	AP	84.21	ED	80.00	COMM LAB	60.00
16951A05N1	DASARI VAMSHI KRISHNA	LAODE	81.25	EC	87.87	EP&C LAB	83.33	CMIC	88.88	EP	86.11	CP	90.90
16951A05M1	GOLLA SWETHA	LAODE	84.37	EC	81.81	EP&C LAB	66.66	CMIC	77.77	EP	75.00	CP	81.81
16951A0453	CHINTALAPUDI KEERTHANA	LAODE	87.50	EC	81.81	EP&C LAB	100.00	CMIC	86.04	EP	85.29	CP	93.75
16951A05H2	KASANAKURTHI SATISH	LAODE	89.18	EC	93.54	EP&C LAB	100.00	CMIC	88.88	EP	93.33	CP	94.11
16951A04F5	GONDELA SAMYUKTHA	LAODE	94.73	EC	93.10	EP&C LAB	100.00	CMIC	100.00	EP	96.87	CP	94.11
16951A0530	BOKKA CHANDRA NEEL	LAODE	91.89	EC	91.66	EP&C LAB	75.00	CMIC	89.47	EP	90.00	CP	87.50
16951A0342	CH MADHU	ENG	90.90	LAODE	89.18	EC	82.85	AP	81.25	ED	86.66	COMM LAB	87.50
16951A05E2	RISHIKA CHIGURUPATI	LAODE	89.18	EC	93.54	EP&C LAB	100.00	CMIC	91.66	EP	86.66	CP	91.17
16951A04A5	THANGUDU POOJITHA	LAODE	88.09	EC	96.87	EP&C LAB	66.66	CMIC	87.17	EP	84.37	CP	88.23
16951A2192	MANGALI SRIKANTH	ENG	73.91	LAODE	83.78	EC	84.84	AP	68.57	ED	81.63	COMM LAB	80.00
16951A0497	RASAKATLA NIKHIL	LAODE	88.09	EC	96.87	EP&C LAB	100.00	CMIC	87.17	EP	93.75	CP	91.17
16951A04G1	SANTOSH MOHAN CHERUKULA	LAODE	84.21	EC	89.65	EP&C LAB	100.00	CMIC	97.43	EP	90.62	CP	82.35
16951A2120	D HARI PRASHANTH	ENG	75.00	LAODE	82.92	EC	82.35	AP	80.55	ED	74.46	COMM LAB	100.00
16951A2117	JATOTHU GANESH	ENG	60.71	LAODE	58.53	EC	64.70	AP	58.33	ED	63.82	COMM LAB	83.33
16951A0412	BESU ANIL KUMAR GOUD	LAODE	87.50	EC	90.90	EP&C LAB	100.00	CMIC	83.72	EP	91.17	CP	90.62
16951A05C6	PRATIK MOHANTA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	96.66	CP	94.11
16951A0217	PABBISSETTY NIKHIL	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0460	KETAN KUMAR MISHRA	LAODE	92.85	EC	93.75	EP&C LAB	100.00	CMIC	100.00	EP	93.75	CP	94.11
16951A2116	BALA DURGA SRINIVAS	ENG	82.14	LAODE	95.12	EC	94.11	AP	91.66	ED	100.00	COMM LAB	100.00
16951A2194	BATHINA SUBRAMANYAM	ENG	95.65	LAODE	94.59	EC	96.96	AP	77.14	ED	93.87	COMM LAB	80.00

16951A05E8	SYED SAHERIOR HUSSAIN	LAODE	94.59	EC	93.54	EP&C LAB	85.71	CMIC	97.22	EP	96.66	CP	97.05
16951A04D6	PULLURI SAI MANOJ	LAODE	68.42	EC	65.51	EP&C LAB	71.42	CMIC	76.92	EP	71.87	CP	70.58
16951A05G9	POTLAPALLY SAI VIVEK	LAODE	75.67	EC	87.09	EP&C LAB	100.00	CMIC	72.22	EP	76.66	CP	76.47
16951A05B7	KOYYADA PRASHANTHI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05M3	BURUGUPALLI TARAKA SRIRAM	LAODE	84.37	EC	87.87	EP&C LAB	83.33	CMIC	82.22	EP	86.11	CP	84.84
16951A2127	DOVA JEEVANA	ENG	78.57	LAODE	82.92	EC	88.23	AP	88.88	ED	87.23	COMM LAB	100.00
16951A0130	YALLA LILLY LIKHITHA	ENG	72.00	LAODE	66.66	EC	54.83	AP	50.00	ED	46.66	COMM LAB	8.33
16951A05K8	SAMALA SRIHITHA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A2144	G PRADEEP SAGAR	ENG	71.42	LAODE	78.04	EC	79.41	AP	77.77	ED	82.97	COMM LAB	83.33
16951A0159	RUPANI SAIKUMAR	ENG	83.33	LAODE	78.57	EC	72.72	AP	73.68	ED	53.33	COMM LAB	60.00
16951A0184	TANNIRU VENKATESH	ENG	83.33	LAODE	85.71	EC	72.72	AP	76.31	ED	73.33	COMM LAB	40.00
16951A0395	KOLA VAMSI SAI	ENG	100.00	LAODE	100.00	EC	100.00	AP	97.14	ED	100.00	COMM LAB	100.00
16951A04L9	ATTALURI VENKATA SAI NITEESH	LAODE	95.00	EC	96.42	EP&C LAB	100.00	CMIC	95.12	EP	97.05	CP	90.90
16951A0561	NAKIRIKANTI GAYATHRI	LAODE	84.61	EC	88.57	EP&C LAB	80.00	CMIC	86.84	EP	93.33	CP	83.33
16951A05J5	SIDDHARTHA ROY	LAODE	68.75	EC	84.84	EP&C LAB	33.33	CMIC	75.55	EP	80.55	CP	66.66
16951A05K0	VEERAGANDHAM SREE VAISHNAVI	LAODE	93.75	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05E7	DESHMUKH RUSHIKESH GOVINDRAO	LAODE	91.89	EC	90.32	EP&C LAB	100.00	CMIC	100.00	EP	90.00	CP	91.17
16951A04N2	GUDA YAMINI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0554	LUKKA JAHNAVI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0429	TIRUMALASETTY DEDEEPPYA	LAODE	95.00	EC	96.96	EP&C LAB	100.00	CMIC	95.34	EP	97.05	CP	96.87
16951A1241	KATREDDI SRI SAI DURGA	LAODE	92.30	EC	93.93	EP&C LAB	100.00	CMIC	92.85	EP	93.75	CP	97.22
16951A0548	PACHIPULUSU HARIKA	LAODE	91.89	EC	100.00	EP&C LAB	100.00	CMIC	97.36	EP	100.00	CP	100.00
16951A0329	RAGATI JEEVAN	ENG	100.00	LAODE	86.48	EC	88.57	AP	81.25	ED	93.33	COMM LAB	100.00
16951A0352	MARKANTI VIKAS	ENG	81.81	LAODE	83.78	EC	82.85	AP	75.00	ED	68.88	COMM LAB	75.00
16951A2150	PARIDHI JOSHI	ENG	100.00	LAODE	100.00	EC	100.00	AP	94.44	ED	100.00	COMM LAB	100.00
16951A04A7	MAGANTI PRADEEP KUMAR	LAODE	97.61	EC	100.00	EP&C LAB	100.00	CMIC	94.87	EP	96.87	CP	100.00
16951A0432	SHAIK FERAZ	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	97.67	EP	94.11	CP	96.87
16951A2145	KUMMAMURU PRAGNA BHARATHI	ENG	78.57	LAODE	87.80	EC	85.29	AP	91.66	ED	89.36	COMM LAB	100.00
16951A05J4	TATIPALLI SHASHANK	LAODE	96.87	EC	93.93	EP&C LAB	83.33	CMIC	95.55	EP	88.88	CP	93.93
16951A0551	HARSHITH KAMBLE	LAODE	91.89	EC	91.66	EP&C LAB	75.00	CMIC	97.36	EP	93.33	CP	91.66

16951A0444	JAKKALA JAELNDAR	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0113	D BHARATHI	ENG	84.00	LAODE	78.57	EC	83.87	AP	73.80	ED	80.00	COMM LAB	25.00
16951A0373	THIPPARAM SAI KUMAR	ENG	76.92	LAODE	88.57	EC	77.14	AP	80.00	ED	62.00	COMM LAB	75.00
16951A04D5	TADAKAPALLY SAI MANISHWAR RAO	LAODE	63.15	EC	58.62	EP&C LAB	42.85	CMIC	69.23	EP	50.00	CP	55.88
16951A04D0	RAMESWARAM SAI JASWANTH	LAODE	92.10	EC	86.20	EP&C LAB	100.00	CMIC	94.87	EP	87.50	CP	85.29
16951A0234	ARAVA SUREKHA	LAODE	95.23	EC	89.47	EP&C LAB	85.71	CMIC	89.47	EP	86.66	CP	84.37
16951A0186	VILASAGAR VINAY	ENG	55.55	LAODE	59.52	EC	66.66	AP	60.52	ED	60.00	COMM LAB	60.00
16951A0588	MUKUL VYAS	LAODE	89.74	EC	94.28	EP&C LAB	100.00	CMIC	92.10	EP	96.66	CP	91.66
16951A0480	GILLA MANISHA	LAODE	92.85	EC	93.75	EP&C LAB	83.33	CMIC	100.00	EP	96.87	CP	91.17
16951A0172	GOUNI SOMASHEKAR	ENG	72.22	LAODE	88.09	EC	81.81	AP	73.68	ED	73.33	COMM LAB	100.00
16951A0331	MATTA JOSHI MANI PAVAN AKASH	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0311	DINESH KUMAR MAJHI	ENG	95.45	LAODE	91.89	EC	94.28	AP	93.75	ED	100.00	COMM LAB	100.00
16951A0553	HEMENTH VENKATA SAI AKULA	LAODE	94.59	EC	97.22	EP&C LAB	100.00	CMIC	94.73	EP	96.66	CP	95.83
16951A0309	MANDALA CHANDRA VAMSI	ENG	86.36	LAODE	91.89	EC	94.28	AP	93.75	ED	93.33	COMM LAB	100.00
16951A0455	DUSSETI POORNESH	LAODE	90.00	EC	84.84	EP&C LAB	80.00	CMIC	86.04	EP	85.29	CP	87.50
16951A0518	AMBOJIPETA ANKITHA	LAODE	86.48	EC	83.33	EP&C LAB	87.50	CMIC	81.57	EP	80.00	CP	87.50
16951A0304	A ANJANEYULU	ENG	81.81	LAODE	86.48	EC	74.28	AP	81.25	ED	68.88	COMM LAB	75.00
16951A2182	BODA SHAINY BAI	ENG	95.65	LAODE	97.29	EC	96.96	AP	91.42	ED	87.75	COMM LAB	100.00
16951A0185	KOTAMALA VIKRAM	ENG	83.33	LAODE	88.09	EC	75.75	AP	71.05	ED	60.00	COMM LAB	60.00
16951A05A8	AELAGANDULA NITHIN	LAODE	82.05	EC	68.57	EP&C LAB	80.00	CMIC	73.68	EP	83.33	CP	62.50
16951A04J2	NAGARAJU SREE NAGA SAI AKHIL BHARANI	LAODE	95.00	EC	100.00	EP&C LAB	100.00	CMIC	97.56	EP	94.11	CP	96.96
16951A0431	MOHAMMED FAZL E RABBANI	LAODE	95.00	EC	96.96	EP&C LAB	100.00	CMIC	95.34	EP	97.05	CP	93.75
16951A04A4	V PAVITHRA	LAODE	92.85	EC	84.37	EP&C LAB	100.00	CMIC	94.87	EP	84.37	CP	85.29
16951A2175	GADE SANDEEP TARUN	ENG	17.39	LAODE	32.43	EC	27.27	AP	0.00	ED	0.00	COMM LAB	0.00
16951A0483	MOHAMMAD MOHAMMAD	LAODE	78.57	EC	75.00	EP&C LAB	100.00	CMIC	76.92	EP	81.25	CP	70.58
16951A0456	AKKILISETTY SAI VENKATA RAHUL	LAODE	82.50	EC	93.93	EP&C LAB	80.00	CMIC	86.04	EP	88.23	CP	84.37
16951A0450	GOGULA KARTHIK	LAODE	70.00	EC	69.69	EP&C LAB	100.00	CMIC	74.41	EP	70.58	CP	65.62
16951A2185	SIMRANA AZAM	ENG	82.60	LAODE	86.48	EC	78.78	AP	82.85	ED	81.63	COMM LAB	80.00
16951A0324	MOHAMMED IRSHADUDDIN	ENG	81.81	LAODE	89.18	EC	82.85	AP	90.62	ED	84.44	COMM LAB	87.50
16951A0353	BANAVATH NAVEEN	ENG	80.76	LAODE	85.71	EC	85.71	AP	82.85	ED	76.00	COMM LAB	100.00

16951A0564	KARTIK JOSHI	LAODE	97.43	EC	97.14	EP&C LAB	80.00	CMIC	94.73	EP	90.00	CP	95.83
16951A05A4	NIKITA THAKUR	LAODE	84.61	EC	80.00	EP&C LAB	80.00	CMIC	81.57	EP	90.00	CP	91.66
16951A1217	MANJUSHA MURTINEEDI	LAODE	84.61	EC	90.90	EP&C LAB	87.50	CMIC	78.57	EP	87.50	CP	94.44
16951A05K9	VUYYURU SRIJA	LAODE	90.62	EC	93.93	EP&C LAB	66.66	CMIC	77.77	EP	88.88	CP	87.87
16951A04G2	KANUPARTHI SANTHOSH MOHANKUMAR	LAODE	92.10	EC	93.10	EP&C LAB	100.00	CMIC	94.87	EP	100.00	CP	85.29
16951A0169	VIJAY VUDDANDAM SHIVA PRASANTH KUMAR	ENG	83.33	LAODE	83.33	EC	69.69	AP	71.05	ED	66.66	COMM LAB	60.00
16951A21A9	THUNDLA VIVEKSAI	ENG	100.00	LAODE	83.78	EC	90.90	AP	85.71	ED	87.75	COMM LAB	80.00
16951A2155	DHARAMSOTH VIJAY	ENG	89.28	LAODE	85.36	EC	88.23	AP	69.44	ED	80.85	COMM LAB	83.33
16951A2132	KATHULA MAHESH	ENG	92.85	LAODE	95.12	EC	100.00	AP	80.55	ED	100.00	COMM LAB	100.00
16951A1255	CHANDUPATLA VISHWAJITHREDDY	LAODE	89.74	EC	90.90	EP&C LAB	87.50	CMIC	85.71	EP	93.75	CP	77.77
16951A2109	ENDRALA BHANUTEJA	ENG	89.28	LAODE	92.68	EC	94.11	AP	91.66	ED	93.61	COMM LAB	100.00
16951A05N7	KOMIRISHETTY VINAY KUMAR	LAODE	93.75	EC	84.84	EP&C LAB	83.33	CMIC	82.22	EP	83.33	CP	87.87
16951A0581	KONIKA MALLIK	LAODE	97.43	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	91.66
16951A0226	SADANALA SAI RAHUL	LAODE	97.61	EC	97.36	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	100.00
16951A0357	DEVARAJU PAVANBHARADWAJ	ENG	92.30	LAODE	97.14	EC	91.42	AP	91.42	ED	70.00	COMM LAB	100.00
16951A0486	BURUGULA MOUNIKA	LAODE	90.47	EC	90.62	EP&C LAB	83.33	CMIC	92.30	EP	93.75	CP	85.29
16951A0180	SANDA UDAY KUMAR	ENG	77.77	LAODE	73.80	EC	66.66	AP	65.78	ED	60.00	COMM LAB	60.00
16951A0317	MOHAMMAD FOUZAN	ENG	50.00	LAODE	64.86	EC	57.14	AP	62.50	ED	46.66	COMM LAB	37.50
16951A0541	KOLLA GAMYA RITHIKA	LAODE	91.89	EC	94.44	EP&C LAB	100.00	CMIC	100.00	EP	96.66	CP	95.83
16951A2172	SALMAN AHMED QUADRI	ENG	100.00	LAODE	97.29	EC	100.00	AP	88.57	ED	100.00	COMM LAB	100.00
16951A0424	CHILAKALAMARRI BHARATH KUMAR	LAODE	75.00	EC	81.81	EP&C LAB	80.00	CMIC	74.41	EP	82.35	CP	65.62
16951A1254	ALAVALA VIDHYADHAR REDDY	LAODE	92.30	EC	93.93	EP&C LAB	100.00	CMIC	92.85	EP	93.75	CP	94.44
16951A05J3	BHEEMAVARAM SAI CHETAN REDDY	LAODE	81.25	EC	72.72	EP&C LAB	66.66	CMIC	73.33	EP	77.77	CP	78.78
16951A0365	SRIRAMULA RAVIKANTH	ENG	84.61	LAODE	80.00	EC	80.00	AP	80.00	ED	68.00	COMM LAB	75.00
16951A0165	MOHAMMED SATTAR	ENG	66.66	LAODE	78.57	EC	60.60	AP	73.68	ED	60.00	COMM LAB	80.00
16951A2162	RUTUJ PRASHANT VAIDYA	ENG	100.00	LAODE	100.00	EC	96.96	AP	97.14	ED	95.91	COMM LAB	80.00
16951A0475	MARMAMLA MAHESH	LAODE	92.85	EC	96.87	EP&C LAB	83.33	CMIC	94.87	EP	96.87	CP	91.17
16951A1245	KOMPALLY SUJANYA	LAODE	82.05	EC	72.72	EP&C LAB	87.50	CMIC	85.71	EP	87.50	CP	83.33
16951A05L7	CHEEPURISHETTI SUNITHA	LAODE	90.62	EC	84.84	EP&C LAB	83.33	CMIC	86.66	EP	83.33	CP	90.90
16951A1226	BANDARU PAVAN KUMAR	LAODE	89.74	EC	84.84	EP&C LAB	100.00	CMIC	92.85	EP	96.87	CP	86.11

16951A2163	BOBBA SAI DEEKSHA	ENG	91.30	LAODE	94.59	EC	93.93	AP	91.42	ED	93.87	COMM LAB	100.00
16951A0228	SANGEETHA CHOUDHARY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05C5	NARSUPALLI PRATHYUSHA	LAODE	89.18	EC	93.54	EP&C LAB	85.71	CMIC	88.88	EP	93.33	CP	91.17
16951A0145	RHAUTHU KAMALAKAR	ENG	44.44	LAODE	52.38	EC	45.45	AP	34.21	ED	26.66	COMM LAB	80.00
16951A04G5	SHAIK ADNAN	LAODE	81.57	EC	72.41	EP&C LAB	100.00	CMIC	87.17	EP	71.87	CP	73.52
16951A0347	MARTHA MUKTRESHWAR	ENG	50.00	LAODE	51.35	EC	48.57	AP	62.50	ED	33.33	COMM LAB	37.50
16951A2164	B SAI DURGESH	ENG	95.65	LAODE	97.29	EC	96.96	AP	100.00	ED	93.87	COMM LAB	100.00
16951A0504	CHAKKA AISHWARYA	LAODE	94.59	EC	97.22	EP&C LAB	87.50	CMIC	94.73	EP	96.66	CP	87.50
16951A0154	SAMBANGI SAI VENKATA MANIKANTA SUBYATEJA	ENG	61.11	LAODE	52.38	EC	63.63	AP	47.36	ED	40.00	COMM LAB	100.00
16951A2189	SRAVANI ELASARI	ENG	100.00	LAODE	100.00	EC	100.00	AP	94.28	ED	87.75	COMM LAB	100.00
16951A2187	B SONI	ENG	86.95	LAODE	89.18	EC	87.87	AP	82.85	ED	87.75	COMM LAB	100.00
16951A21A3	G VIJAYA LAHARI	ENG	73.91	LAODE	86.48	EC	78.78	AP	65.71	ED	75.51	COMM LAB	80.00
16951A0566	C KEERTHANA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	95.83
16951A0595	SUBBAGARI NARSIMHA REDDY	LAODE	82.05	EC	88.57	EP&C LAB	80.00	CMIC	81.57	EP	83.33	CP	66.66
16951A0334	VADDEBOINA KALYAN	ENG	68.18	LAODE	81.08	EC	80.00	AP	78.12	ED	71.11	COMM LAB	75.00
16951A2139	VODDULA NAVEEN KUMAR	ENG	89.28	LAODE	95.12	EC	91.17	AP	91.66	ED	87.23	COMM LAB	83.33
16951A0397	GODARA VIKRAM SINGH	ENG	92.30	LAODE	94.28	EC	97.14	AP	91.42	ED	94.00	COMM LAB	100.00
16951A0160	PATRI SAMSON	ENG	77.77	LAODE	71.42	EC	60.60	AP	63.15	ED	40.00	COMM LAB	60.00
16951A0370	GANDU RUTHWIK	ENG	80.76	LAODE	80.00	EC	77.14	AP	82.85	ED	68.00	COMM LAB	100.00
16951A04H5	S SIRI CHANDANA	LAODE	87.50	EC	85.71	EP&C LAB	71.42	CMIC	90.24	EP	88.23	CP	84.84
16951A04L1	CHIPPE UMESH CHANDRA	LAODE	62.50	EC	57.14	EP&C LAB	71.42	CMIC	70.73	EP	67.64	CP	69.69
16951A04E7	GANNAMANENI SAI TEJA	LAODE	81.57	EC	75.86	EP&C LAB	85.71	CMIC	71.79	EP	78.12	CP	73.52
16951A0366	TALLAPANENI RISHIKESSH	ENG	84.61	LAODE	88.57	EC	88.57	AP	88.57	ED	76.00	COMM LAB	100.00
16951A04C0	MEGAVATH RAVINDER NAYAK	LAODE	78.94	EC	86.20	EP&C LAB	71.42	CMIC	82.05	EP	87.50	CP	76.47
16951A0403	KUCHURU ADHARSH REDDY	LAODE	75.00	EC	81.81	EP&C LAB	100.00	CMIC	81.39	EP	73.52	CP	75.00
16951A05M7	PEDAPATI UDAY RAJ	LAODE	81.25	EC	72.72	EP&C LAB	100.00	CMIC	80.00	EP	83.33	CP	78.78
16951A05D3	B RAJ KIRAN	LAODE	100.00	EC	90.32	EP&C LAB	100.00	CMIC	100.00	EP	96.66	CP	97.05
16951A1212	VADDI LOKESHWAR	LAODE	82.05	EC	93.93	EP&C LAB	87.50	CMIC	85.71	EP	96.87	CP	83.33
16951A04C3	DAASARI ROJA RANI	LAODE	97.36	EC	100.00	EP&C LAB	85.71	CMIC	97.43	EP	96.87	CP	97.05
16951A0529	KATROTH CHANDANA	LAODE	91.89	EC	94.44	EP&C LAB	87.50	CMIC	94.73	EP	90.00	CP	79.16

16951A0425	BISHWAJIT SAMAL	LAODE	95.00	EC	96.96	EP&C LAB	100.00	CMIC	95.34	EP	94.11	CP	96.87
16951A0508	AKASH PURIMITLA	LAODE	94.59	EC	91.66	EP&C LAB	75.00	CMIC	92.10	EP	86.66	CP	79.16
16951A0473	PINJARI MAHAMMAD ASIF	LAODE	92.85	EC	100.00	EP&C LAB	100.00	CMIC	89.74	EP	93.75	CP	100.00
16951A0371	UPADHYAY SACHIN NARESH	ENG	80.76	LAODE	88.57	EC	77.14	AP	82.85	ED	76.00	COMM LAB	100.00
16951A0509	MOHAMMED AKHEEL	LAODE	62.16	EC	63.88	EP&C LAB	37.50	CMIC	52.63	EP	56.66	CP	54.16
16951A0229	VALLABOJU SHIVA	LAODE	95.23	EC	86.84	EP&C LAB	85.71	CMIC	86.84	EP	93.33	CP	84.37
16951A04F9	KYLASA SANKEERTH	LAODE	94.73	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	97.05
16951A04M3	RATHOD VIJAY	LAODE	60.00	EC	53.57	EP&C LAB	57.14	CMIC	60.97	EP	61.76	CP	66.66
16951A04J8	MAHANKALA SRILEKHA	LAODE	92.50	EC	96.42	EP&C LAB	100.00	CMIC	97.56	EP	97.05	CP	96.96
16951A1248	CHILUVERU SWATHI	LAODE	89.74	EC	96.96	EP&C LAB	100.00	CMIC	95.23	EP	90.62	CP	94.44
16951A0515	RAVULAPATI ANANTHA SAI	LAODE	97.29	EC	83.33	EP&C LAB	75.00	CMIC	81.57	EP	93.33	CP	83.33
16951A0514	MENDI ANAND	LAODE	75.67	EC	75.00	EP&C LAB	62.50	CMIC	65.78	EP	80.00	CP	75.00
16951A0415	RAPAKA ANUSHA	LAODE	97.50	EC	96.96	EP&C LAB	100.00	CMIC	97.67	EP	100.00	CP	100.00
16951A0557	PANDI JAYASREE	LAODE	100.00	EC	97.22	EP&C LAB	87.50	CMIC	97.36	EP	100.00	CP	95.83
16951A2146	M PRASHANTH	ENG	71.42	LAODE	78.04	EC	85.29	AP	80.55	ED	80.85	COMM LAB	83.33
16951A04G4	SHAHANAZ	LAODE	92.10	EC	86.20	EP&C LAB	100.00	CMIC	97.43	EP	93.75	CP	94.11
16951A0345	REKULAPALLY MANASA	ENG	68.18	LAODE	83.78	EC	80.00	AP	87.50	ED	71.11	COMM LAB	87.50
16951A04J1	DANDE SREE LEKHYA	LAODE	90.00	EC	92.85	EP&C LAB	85.71	CMIC	92.68	EP	97.05	CP	93.93
16951A21A1	GODHA TEJENDAR YADAV	ENG	91.30	LAODE	89.18	EC	90.90	AP	85.71	ED	81.63	COMM LAB	80.00
16951A0356	AMBATI PAVAN KUMAR	ENG	80.76	LAODE	65.71	EC	68.57	AP	74.28	ED	74.00	COMM LAB	75.00
16951A0369	ALAGAM ROHITH KUMAR	ENG	84.61	LAODE	82.85	EC	82.85	AP	85.71	ED	74.00	COMM LAB	100.00
16951A04F1	KAMMARI SAIPRIYA	LAODE	89.47	EC	86.20	EP&C LAB	85.71	CMIC	89.74	EP	93.75	CP	88.23
16951A0516	KATRAGADDA ANIMA CHOWDARY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05A6	CHANDIRI NISHITHA REDDY	LAODE	100.00	EC	100.00	EP&C LAB	80.00	CMIC	100.00	EP	96.66	CP	100.00
16951A1239	KOLLOJU SHARANYA	LAODE	84.61	EC	81.81	EP&C LAB	87.50	CMIC	88.09	EP	90.62	CP	83.33
16951A0411	D ANIKETH	LAODE	50.00	EC	42.42	EP&C LAB	80.00	CMIC	44.18	EP	47.05	CP	46.87
16951A1230	RAAVI RAJYA LAKSHMI	LAODE	97.43	EC	93.93	EP&C LAB	87.50	CMIC	95.23	EP	100.00	CP	91.66
16951A0116	RUDRARAJU CHANUKYA VAMSI KRISHNA VARMA	ENG	96.00	LAODE	97.61	EC	100.00	AP	97.61	ED	100.00	COMM LAB	66.66
16951A0187	AMMIREDDY VINEETH REDDY	ENG	50.00	LAODE	54.76	EC	51.51	AP	42.10	ED	26.66	COMM LAB	60.00
16951A2129	TALLA LAXMAN RAJU	ENG	71.42	LAODE	85.36	EC	85.29	AP	77.77	ED	80.85	COMM LAB	83.33

16951A05L9	PAMARTHI SUPRIYA	LAODE	90.62	EC	93.93	EP&C LAB	83.33	CMIC	86.66	EP	88.88	CP	93.93
16951A0437	PIPPARI HARIHARAN	LAODE	95.00	EC	93.93	EP&C LAB	100.00	CMIC	97.67	EP	91.17	CP	96.87
16951A04C9	MADIREDDY SAI DURGA MOUNISH	LAODE	81.57	EC	82.75	EP&C LAB	100.00	CMIC	97.43	EP	93.75	CP	79.41
16951A04E5	BANDARU SAI TARUN	LAODE	94.73	EC	96.55	EP&C LAB	85.71	CMIC	89.74	EP	90.62	CP	94.11
16951A05L6	DASI SUMANTH	LAODE	71.87	EC	60.60	EP&C LAB	50.00	CMIC	64.44	EP	58.33	CP	75.75
16951A05H7	RAMAVATH SIRISHA	LAODE	83.78	EC	83.87	EP&C LAB	71.42	CMIC	88.88	EP	86.66	CP	88.23
16951A0236	BAMANDLA UDAY RAJ	LAODE	61.90	EC	71.05	EP&C LAB	57.14	CMIC	71.05	EP	80.00	CP	75.00
16951A1202	AKHILA OBILISSETTY	LAODE	87.17	EC	90.90	EP&C LAB	100.00	CMIC	88.09	EP	90.62	CP	94.44
16951A2177	AMBULGEKAR ASHUTOSH SANTOSH	ENG	100.00	LAODE	91.89	EC	93.93	AP	88.57	ED	87.75	COMM LAB	80.00
16951A04C2	O RESHMA	LAODE	84.21	EC	82.75	EP&C LAB	85.71	CMIC	82.05	EP	81.25	CP	85.29
16951A2142	NIKHIL PRIYA VALLABOJU	ENG	100.00	LAODE	100.00	EC	94.11	AP	100.00	ED	95.74	COMM LAB	100.00
16951A0175	NIDASANAMETLA SURESH	ENG	88.88	LAODE	95.23	EC	96.96	AP	94.73	ED	93.33	COMM LAB	80.00
16951A1201	ADITI SATI	LAODE	82.05	EC	78.78	EP&C LAB	75.00	CMIC	83.33	EP	81.25	CP	80.55
16951A0212	THOTA KIRAN KUMAR	LAODE	50.00	EC	52.63	EP&C LAB	42.85	CMIC	60.52	EP	60.00	CP	53.12
16951A04M5	D VINEETH REDDY	LAODE	87.50	EC	82.14	EP&C LAB	100.00	CMIC	90.24	EP	91.17	CP	90.90
16951A0375	SAI SIVA RANJITH VENUGOPAL	ENG	80.76	LAODE	82.85	EC	82.85	AP	80.00	ED	70.00	COMM LAB	100.00
16951A2190	BETHANABHOTLA SRI RAM SARAN	ENG	100.00	LAODE	97.29	EC	93.93	AP	88.57	ED	93.87	COMM LAB	100.00
16951A0313	BELIDE EASHWAR SAI	ENG	100.00	LAODE	97.29	EC	94.28	AP	93.75	ED	95.55	COMM LAB	100.00
16951A2178	MD SAQUIB HUSSAIN HAZARI	ENG	95.65	LAODE	89.18	EC	87.87	AP	80.00	ED	77.55	COMM LAB	80.00
16951A0578	HASNABADE MAHADEV	LAODE	94.87	EC	91.42	EP&C LAB	100.00	CMIC	89.47	EP	93.33	CP	91.66
16951A21A4	JAYADEV V	ENG	95.65	LAODE	78.37	EC	90.90	AP	82.85	ED	81.63	COMM LAB	80.00
16951A0330	JESWANTH SANJAY VADDI	ENG	86.36	LAODE	81.08	EC	82.85	AP	87.50	ED	80.00	COMM LAB	75.00
16951A04L8	CHELLABOINA VENKATA SAI KUMAR	LAODE	87.50	EC	82.14	EP&C LAB	85.71	CMIC	85.36	EP	94.11	CP	90.90
16951A04B9	MARISERLA RAMYA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0218	PANTHULA NIKHILA	LAODE	88.09	EC	86.84	EP&C LAB	100.00	CMIC	86.84	EP	86.66	CP	87.50
16951A0484	VEERANKI MOHAN KRISHNA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04B8	VARADA RAKESH NAIDU	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A2138	NANGUNOORI NAVANEETH KUMAR	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A1252	GONTHINA VENKATASAI NAGALAKSHMI APOORVA	LAODE	94.87	EC	90.90	EP&C LAB	87.50	CMIC	95.23	EP	100.00	CP	88.88
16951A2128	ELLANDULA KRANTHI KUMAR	ENG	53.57	LAODE	51.21	EC	52.94	AP	30.55	ED	51.06	COMM LAB	33.33

16951A0153	PONNALA SAI KUMAR	ENG	72.22	LAODE	73.80	EC	78.78	AP	76.31	ED	73.33	COMM LAB	80.00
16951A2130	ALAGAPALLI LOHITH TEJ	ENG	71.42	LAODE	78.04	EC	79.41	AP	83.33	ED	70.21	COMM LAB	83.33
16951A0427	KESARAM CHATRAPATHI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	97.67	EP	100.00	CP	100.00
16951A1213	DESETTI MADHUKAR GAYHALYA	LAODE	79.48	EC	75.75	EP&C LAB	100.00	CMIC	76.19	EP	84.37	CP	77.77
16951A0503	MUBEENA AFREEN	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04L3	PATLOLA VAMSHIDHAR REDDY	LAODE	85.00	EC	78.57	EP&C LAB	100.00	CMIC	87.80	EP	91.17	CP	87.87
16951A0319	YARLAGADDA GNANADEEP	ENG	90.90	LAODE	97.29	EC	88.57	AP	87.50	ED	86.66	COMM LAB	100.00
16951A04J3	SREE SAI SHRUTHI MADHAVI PONNADA	LAODE	95.00	EC	96.42	EP&C LAB	100.00	CMIC	95.12	EP	97.05	CP	90.90
16951A0579	KURVA MAHENDRA BABU	LAODE	69.23	EC	68.57	EP&C LAB	80.00	CMIC	63.15	EP	73.33	CP	62.50
16951A0104	AAVULA AKHIL KUMAR	ENG	84.00	LAODE	78.57	EC	67.74	AP	78.57	ED	60.00	COMM LAB	91.66
16951A04D8	GAMPALA SAI PALLAVI	LAODE	81.57	EC	79.31	EP&C LAB	100.00	CMIC	89.74	EP	84.37	CP	88.23
16951A1208	PATLOLLA KEERTHANA	LAODE	89.74	EC	90.90	EP&C LAB	100.00	CMIC	90.47	EP	96.87	CP	94.44
16951A04J0	KANDE SRAVYA	LAODE	82.50	EC	85.71	EP&C LAB	85.71	CMIC	82.92	EP	88.23	CP	81.81
16951A04J6	G SRI NAGA TEJASWINI	LAODE	95.00	EC	96.42	EP&C LAB	100.00	CMIC	92.68	EP	97.05	CP	87.87
16951A0539	GALLA ESHWAR	LAODE	67.56	EC	77.77	EP&C LAB	62.50	CMIC	78.94	EP	76.66	CP	66.66
16951A05N3	CHERUKURI VASISTA	LAODE	81.25	EC	72.72	EP&C LAB	100.00	CMIC	68.88	EP	75.00	CP	72.72
16951A0574	GANGAPALLI LASYA SRIRANGA	LAODE	92.30	EC	97.14	EP&C LAB	100.00	CMIC	94.73	EP	96.66	CP	95.83
16951A05P0	VELANKI YAGNASREE	LAODE	90.62	EC	84.84	EP&C LAB	100.00	CMIC	84.44	EP	88.88	CP	90.90
16951A0344	BONDLA MALLESHAM	ENG	90.90	LAODE	89.18	EC	94.28	AP	93.75	ED	100.00	COMM LAB	62.50
16951A2126	MOHAMMAD IRFAN	ENG	92.85	LAODE	87.80	EC	91.17	AP	88.88	ED	87.23	COMM LAB	83.33
16951A1244	REDDIMELLI SRILEKHA	LAODE	89.74	EC	96.96	EP&C LAB	100.00	CMIC	92.85	EP	93.75	CP	94.44
16951A1232	SEELAM RAVI SAI CHAKRAWARTHY	LAODE	87.17	EC	93.93	EP&C LAB	87.50	CMIC	83.33	EP	90.62	CP	86.11
16951A2101	ABHISHEK MOHAPATRA	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0546	HARDIK NAHATA	LAODE	89.18	EC	91.66	EP&C LAB	75.00	CMIC	89.47	EP	90.00	CP	75.00
16951A0552	RIMMANAPUDI HASWANATH SAI	LAODE	91.89	EC	97.22	EP&C LAB	87.50	CMIC	92.10	EP	93.33	CP	87.50
16951A05D2	DESINEEDI RACHITA JYOTHI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04F6	MANEPALLY SANDEEP RAJ	LAODE	65.78	EC	55.17	EP&C LAB	42.85	CMIC	56.41	EP	62.50	CP	64.70
16951A0556	JAY KARAN TELUKUNTA	LAODE	81.08	EC	88.88	EP&C LAB	75.00	CMIC	92.10	EP	93.33	CP	75.00
16951A05M0	GONGADA SUSHMA	LAODE	100.00	EC	87.87	EP&C LAB	100.00	CMIC	88.88	EP	97.22	CP	96.96
16951A04M2	KATAMALLA VIDYA SAGAR NIRANJAN SAI	LAODE	75.00	EC	67.85	EP&C LAB	85.71	CMIC	85.36	EP	85.29	CP	72.72

16951A0157	RESHAM SAIKIRAN	ENG	83.33	LAODE	88.09	EC	87.87	AP	86.84	ED	86.66	COMM LAB	100.00
16951A0490	PALLEPOGU NAGENDRA KUMAR	LAODE	76.19	EC	87.50	EP&C LAB	66.66	CMIC	84.61	EP	75.00	CP	79.41
16951A05M2	SYED ROUSHAN RASHEED	LAODE	87.50	EC	87.87	EP&C LAB	66.66	CMIC	88.88	EP	86.11	CP	90.90
16951A0409	KASANAGOTTU AKHIL	LAODE	82.50	EC	78.78	EP&C LAB	80.00	CMIC	74.41	EP	76.47	CP	81.25
16951A1205	D S IRSHAD ROSHAN	LAODE	87.17	EC	84.84	EP&C LAB	87.50	CMIC	90.47	EP	90.62	CP	88.88
16951A0592	INALA NAGA VENKATA RAMA CHANDRA PRASAD	LAODE	97.43	EC	88.57	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	70.83
16951A0381	SOLIPURAM SHIVA KUMAR REDDY	ENG	100.00	LAODE	97.14	EC	97.14	AP	97.14	ED	100.00	COMM LAB	100.00
16951A05N5	SEETHAMRAJU VENKATA SRINIVASA ADITYA	LAODE	100.00	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0401	PALLEPATI ABHINAV	LAODE	70.00	EC	72.72	EP&C LAB	100.00	CMIC	69.76	EP	67.64	CP	71.87
16951A0233	SARA SUPRIYA	LAODE	80.95	EC	81.57	EP&C LAB	71.42	CMIC	73.68	EP	83.33	CP	75.00
16951A0576	K LOKESH	LAODE	79.48	EC	85.71	EP&C LAB	100.00	CMIC	76.31	EP	86.66	CP	75.00
16951A0498	KATRAPALLY NUTHAN KUMAR	LAODE	95.23	EC	100.00	EP&C LAB	100.00	CMIC	92.30	EP	93.75	CP	100.00
16951A2170	MOHAMMAD SAIF AFRID	ENG	95.65	LAODE	97.29	EC	96.96	AP	97.14	ED	100.00	COMM LAB	100.00
16951A0467	SAJJA LAVANYA	LAODE	95.23	EC	100.00	EP&C LAB	100.00	CMIC	97.43	EP	100.00	CP	97.05
16951A05E9	GANGA SAHITHI	LAODE	89.18	EC	96.77	EP&C LAB	100.00	CMIC	88.88	EP	96.66	CP	97.05
16951A04B0	V PREETHI	LAODE	97.61	EC	93.75	EP&C LAB	100.00	CMIC	97.43	EP	96.87	CP	91.17
16951A0598	LAGADAPATI NAVEEN	LAODE	89.74	EC	91.42	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	87.50
16951A0413	MANGALI ANUSHA	LAODE	77.50	EC	75.75	EP&C LAB	80.00	CMIC	81.39	EP	79.41	CP	78.12
16951A21A6	NIDADAVOLU VIRINCHI	ENG	91.30	LAODE	91.89	EC	93.93	AP	77.14	ED	93.87	COMM LAB	100.00
16951A1214	KALYADAPU MANIKIRAN	LAODE	79.48	EC	75.75	EP&C LAB	75.00	CMIC	73.80	EP	84.37	CP	72.22
16951A03A2	S YOSHITHA	ENG	92.30	LAODE	97.14	EC	88.57	AP	94.28	ED	82.00	COMM LAB	100.00
16951A05D9	RAVI KUMAR	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05F3	PEDDURI SAI CHARAN	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0495	NEELA INDUSRI	LAODE	90.47	EC	93.75	EP&C LAB	100.00	CMIC	92.30	EP	96.87	CP	94.11
16951A0351	NAMIT GUPTA	ENG	86.36	LAODE	94.59	EC	91.42	AP	90.62	ED	100.00	COMM LAB	62.50
16951A04A0	SHAIK PARVEZ	LAODE	76.19	EC	68.75	EP&C LAB	100.00	CMIC	74.35	EP	62.50	CP	64.70
16951A05C4	MALYALA PRATHYUSHA	LAODE	83.78	EC	87.09	EP&C LAB	85.71	CMIC	88.88	EP	83.33	CP	88.23
16951A05C0	KOLAVENNU VENKATA BHARGAV	LAODE	79.48	EC	68.57	EP&C LAB	80.00	CMIC	73.68	EP	83.33	CP	75.00
16951A0303	AKSHAY KUMAR KASAMKUTTIL REJI	ENG	95.45	LAODE	91.89	EC	94.28	AP	87.50	ED	100.00	COMM LAB	100.00
16951A2104	CHATRIYA ANKIT	ENG	92.85	LAODE	82.92	EC	88.23	AP	91.66	ED	93.61	COMM LAB	100.00

16951A0128	BODIGE KAUSHIK	ENG	96.00	LAODE	92.85	EC	83.87	AP	92.85	ED	100.00	COMM LAB	66.66
16951A05G1	YALAVARTHI SAI NITHISHA CHOWDARY	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	100.00	CP	100.00
16951A0426	CHANDAN KUMAR	LAODE	52.50	EC	60.60	EP&C LAB	80.00	CMIC	51.16	EP	61.76	CP	46.87
16951A0209	KYAMA GOPALAKRISHNA	LAODE	95.23	EC	94.73	EP&C LAB	85.71	CMIC	97.36	EP	96.66	CP	93.75
16951A2193	SRIPELLY SRINITHI	ENG	91.30	LAODE	91.89	EC	84.84	AP	80.00	ED	83.67	COMM LAB	80.00
16951A1215	MANISH GANGANA BOYINA	LAODE	89.74	EC	78.78	EP&C LAB	100.00	CMIC	90.47	EP	87.50	CP	80.55
16951A1235	KARIVEDA SAI KRISHNA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	94.44
16951A04H6	N SIVA SAI	LAODE	85.00	EC	82.14	EP&C LAB	100.00	CMIC	90.24	EP	88.23	CP	90.90
16951A1229	NIKKAL PRADEEP	LAODE	97.43	EC	96.96	EP&C LAB	87.50	CMIC	97.61	EP	96.87	CP	97.22
16951A0476	ARIGE MAHIMA RAJ	LAODE	85.71	EC	84.37	EP&C LAB	100.00	CMIC	89.74	EP	87.50	CP	85.29
16951A0526	BEGARI BHAVANI	LAODE	89.18	EC	83.33	EP&C LAB	75.00	CMIC	84.21	EP	86.66	CP	91.66
16951A04A9	SHIDLEY PRATHVI	LAODE	88.09	EC	93.75	EP&C LAB	100.00	CMIC	94.87	EP	96.87	CP	91.17
16951A0465	K V LAKSHMI PRIYA	LAODE	78.57	EC	81.25	EP&C LAB	83.33	CMIC	89.74	EP	78.12	CP	76.47
16951A0575	PALLEMPATI LIKITHA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05N9	PANATI VISWA NARENDRA REDDY	LAODE	96.87	EC	96.96	EP&C LAB	100.00	CMIC	97.77	EP	97.22	CP	100.00
16951A04C5	SADGURBABU BANTANTI	LAODE	97.36	EC	100.00	EP&C LAB	85.71	CMIC	97.43	EP	100.00	CP	100.00
16951A0470	YALAMANCHILI LOHITHA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0143	CHITTYALA PRADEEP KUMAR	ENG	96.00	LAODE	88.09	EC	90.32	AP	88.09	ED	73.33	COMM LAB	66.66
16951A2102	BODDINAGULA AJAY	ENG	92.85	LAODE	90.24	EC	97.05	AP	100.00	ED	93.61	COMM LAB	83.33
16951A0105	MOHAMMAD AKRAM	ENG	84.00	LAODE	88.09	EC	80.64	AP	83.33	ED	80.00	COMM LAB	91.66
16951A0422	VEMULA BALAJI	LAODE	77.50	EC	78.78	EP&C LAB	80.00	CMIC	76.74	EP	79.41	CP	81.25
16951A05B0	DASI NOEL RAJU	LAODE	92.30	EC	94.28	EP&C LAB	100.00	CMIC	94.73	EP	100.00	CP	95.83
16951A21A5	REGULA VINAY KUMAR	ENG	100.00	LAODE	97.29	EC	100.00	AP	97.14	ED	100.00	COMM LAB	100.00
16951A0396	BANDA VENKATESHWARREDDY	ENG	65.38	LAODE	77.14	EC	71.42	AP	77.14	ED	62.00	COMM LAB	100.00
16951A04L7	ANKALA VENKAT LOKESH	LAODE	80.00	EC	71.42	EP&C LAB	85.71	CMIC	80.48	EP	85.29	CP	78.78
16951A05E3	KOVVURU RISHITHA	LAODE	94.59	EC	100.00	EP&C LAB	100.00	CMIC	88.88	EP	96.66	CP	91.17
16951A0534	DEEPAK EDDLAPALLI	LAODE	67.56	EC	61.11	EP&C LAB	62.50	CMIC	63.15	EP	66.66	CP	50.00
16951A0183	THANIKANTI VENKATA SUBBA RAYUDU	ENG	66.66	LAODE	76.19	EC	75.75	AP	78.94	ED	66.66	COMM LAB	60.00
16951A05F9	MULPURU SAI MANMADH	LAODE	70.27	EC	90.32	EP&C LAB	100.00	CMIC	58.33	EP	73.33	CP	82.35
16951A2107	ITHA ASHWITHA	ENG	82.14	LAODE	92.68	EC	97.05	AP	91.66	ED	100.00	COMM LAB	100.00

16951A04A3	CHEETY PAVITHRA	LAODE	95.23	EC	100.00	EP&C LAB	100.00	CMIC	92.30	EP	93.75	CP	100.00
16951A0416	R ANUSHA RATHOD	LAODE	90.00	EC	90.90	EP&C LAB	100.00	CMIC	88.37	EP	82.35	CP	81.25
16951A2198	GANDLA SWETHA	ENG	95.65	LAODE	91.89	EC	87.87	AP	85.71	ED	89.79	COMM LAB	60.00
16951A0133	SATYARAM MANIDEEPA SAI	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0469	AMARAM LIKHITHA REDDY	LAODE	92.85	EC	90.62	EP&C LAB	100.00	CMIC	89.74	EP	90.62	CP	94.11
16951A0111	ASHALA ARAVIND	ENG	96.00	LAODE	90.47	EC	83.87	AP	88.09	ED	80.00	COMM LAB	58.33
16951A05D1	GATTU RACHANA	LAODE	94.59	EC	96.77	EP&C LAB	100.00	CMIC	91.66	EP	90.00	CP	91.17
16951A0114	VALASAPALLI BHARGAV RAM	ENG	96.00	LAODE	100.00	EC	93.54	AP	97.61	ED	100.00	COMM LAB	100.00
16951A0335	KAVELINTI KARTHIK	ENG	50.00	LAODE	70.27	EC	65.71	AP	75.00	ED	57.77	COMM LAB	50.00
16951A0569	MOTKURI KIRITI	LAODE	97.43	EC	100.00	EP&C LAB	100.00	CMIC	97.36	EP	100.00	CP	100.00
16951A05M5	CHEEVE TEJASWI	LAODE	78.12	EC	81.81	EP&C LAB	66.66	CMIC	77.77	EP	83.33	CP	84.84
16951A0302	GANDIKOTA ABHINAV	ENG	90.90	LAODE	89.18	EC	85.71	AP	93.75	ED	80.00	COMM LAB	75.00
16951A05M9	KUPPILI USHA MANJARI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0433	PACHAVA GANESH VENKATA SAI	LAODE	97.50	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0167	POREDDI SHIREESHA	ENG	88.88	LAODE	90.47	EC	100.00	AP	97.36	ED	100.00	COMM LAB	80.00
16951A0439	KALLURI HARSHINI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A1218	PIDUGU MOUNIKA REDDY	LAODE	97.43	EC	93.93	EP&C LAB	100.00	CMIC	95.23	EP	96.87	CP	91.66
16951A2136	VUNTALA NAGA SANTHOSH LAKSHMI	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A05A1	KSHIRASAGAR NIHARIKA	LAODE	94.87	EC	97.14	EP&C LAB	100.00	CMIC	94.73	EP	96.66	CP	91.66
16951A0301	MOHAMMED ABDUL ADIL	ENG	81.81	LAODE	83.78	EC	85.71	AP	81.25	ED	93.33	COMM LAB	75.00
16951A0151	CHOLKAR SAI ASHISH	ENG	83.33	LAODE	80.95	EC	78.78	AP	68.42	ED	53.33	COMM LAB	60.00
16951A04H7	BALLARI SOWMYA	LAODE	82.50	EC	85.71	EP&C LAB	71.42	CMIC	80.48	EP	91.17	CP	81.81
16951A0323	G V HEMA SREE	ENG	81.81	LAODE	94.59	EC	94.28	AP	96.87	ED	88.88	COMM LAB	87.50
16951A05E1	B REVANTH REDDY	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	94.44	EP	96.66	CP	97.05
16951A0393	GOMAS VAMSHI KUMAR	ENG	92.30	LAODE	91.42	EC	91.42	AP	91.42	ED	86.00	COMM LAB	75.00
16951A0354	MONA GONI NEHA GOUD	ENG	84.61	LAODE	77.14	EC	80.00	AP	82.85	ED	74.00	COMM LAB	100.00
16951A0519	ANURAG DOMALA	LAODE	83.78	EC	88.88	EP&C LAB	75.00	CMIC	84.21	EP	86.66	CP	91.66
16951A0107	MOHAMMED AKTHAR HUSSAIN	ENG	96.00	LAODE	92.85	EC	96.77	AP	97.61	ED	86.66	COMM LAB	66.66
16951A05N0	MEKALA VAISHNAVI	LAODE	93.75	EC	93.93	EP&C LAB	83.33	CMIC	77.77	EP	91.66	CP	90.90
16951A04M1	VENKATESWARAN PARAMESWARAN	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00

16951A04B1	GUNTUPALLI PREM KUMARI	LAODE	78.57	EC	93.75	EP&C LAB	83.33	CMIC	74.35	EP	81.25	CP	91.17
16951A04D4	YENUGANTI SAI MANIKANTA	LAODE	86.84	EC	89.65	EP&C LAB	100.00	CMIC	94.87	EP	90.62	CP	88.23
16951A2110	MUNDADA BHARATH	ENG	60.71	LAODE	56.09	EC	47.05	AP	38.88	ED	38.29	COMM LAB	50.00
16951A0171	KARDANOOR SINDHU REDDY	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A05L3	KOMANDURI SRINANDAN	LAODE	100.00	EC	96.96	EP&C LAB	100.00	CMIC	97.77	EP	97.22	CP	96.96
16951A0562	JUJJURI JITHENDRA KUMAR	LAODE	92.30	EC	80.00	EP&C LAB	80.00	CMIC	86.84	EP	90.00	CP	75.00
16951A05A0	PAVULURI NEHANTH CHOWDARY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0376	INAPAKURTHI SAI RAM	ENG	46.15	LAODE	62.85	EC	62.85	AP	65.71	ED	56.00	COMM LAB	50.00
16951A0117	VAGGELA CHARANKUMAR	ENG	84.00	LAODE	92.85	EC	80.64	AP	95.23	ED	93.33	COMM LAB	58.33
16951A0410	MIRYALA AKHIL	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05L2	P SRIKAR REDDY	LAODE	90.62	EC	87.87	EP&C LAB	100.00	CMIC	88.88	EP	86.11	CP	96.96
16951A2183	M SHARATHKUMAR	ENG	100.00	LAODE	94.59	EC	96.96	AP	74.28	ED	93.87	COMM LAB	100.00
16951A0346	MIRYALA MOUNIKA	ENG	86.36	LAODE	91.89	EC	88.57	AP	87.50	ED	86.66	COMM LAB	75.00
16951A0328	KATTAMREDDY JAYADEEP REDDY	ENG	95.45	LAODE	97.29	EC	97.14	AP	93.75	ED	93.33	COMM LAB	100.00
16951A0235	TALARI SWATHI	LAODE	95.23	EC	86.84	EP&C LAB	85.71	CMIC	84.21	EP	90.00	CP	90.62
16951A1247	M A WASIM	LAODE	92.30	EC	90.90	EP&C LAB	100.00	CMIC	95.23	EP	93.75	CP	83.33
16951A0362	POTHUGANTI RAKESH	ENG	88.46	LAODE	85.71	EC	85.71	AP	91.42	ED	86.00	COMM LAB	100.00
16951A04H0	CH SRAVAN KUMAR	LAODE	73.68	EC	86.20	EP&C LAB	71.42	CMIC	84.61	EP	84.37	CP	76.47
16951A0378	THAMMALI SAISUKARMA	ENG	92.30	LAODE	91.42	EC	94.28	AP	94.28	ED	94.00	COMM LAB	100.00
16951A0112	ARMOOR BHARATH	ENG	100.00	LAODE	88.09	EC	80.64	AP	90.47	ED	80.00	COMM LAB	66.66
16951A03A0	PUTLUR VIVEK VARDHAN REDDY	ENG	88.46	LAODE	91.42	EC	91.42	AP	91.42	ED	86.00	COMM LAB	75.00
16951A0122	GARULE GIRIRAJ	ENG	88.00	LAODE	97.61	EC	93.54	AP	97.61	ED	100.00	COMM LAB	66.66
16951A2158	TAMMINENI RAVI VARMA	ENG	95.65	LAODE	94.59	EC	93.93	AP	97.14	ED	93.87	COMM LAB	100.00
16951A0488	GUDIPUDI NAGA SAI LASYA SRI	LAODE	88.09	EC	90.62	EP&C LAB	100.00	CMIC	94.87	EP	87.50	CP	94.11
16951A0118	KURRA DEEPAK YADAV	ENG	80.00	LAODE	76.19	EC	67.74	AP	80.95	ED	66.66	COMM LAB	66.66
16951A05M4	ADUSUMILLI TARAKA VENKATA SATYA SAI ROHIT	LAODE	81.25	EC	84.84	EP&C LAB	66.66	CMIC	82.22	EP	80.55	CP	81.81
16951A0449	CHINTADA KARTHIK	LAODE	85.00	EC	87.87	EP&C LAB	100.00	CMIC	83.72	EP	91.17	CP	90.62
16951A0511	MAJETI AKSHAY KUMAR	LAODE	91.89	EC	83.33	EP&C LAB	62.50	CMIC	81.57	EP	86.66	CP	79.16
16951A05H3	SHAIK SHAHEEN	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05H6	PASALVADHI SHIVANI PATEL	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00

16951A1228	NERUPATI PRADEEP	LAODE	69.23	EC	78.78	EP&C LAB	100.00	CMIC	66.66	EP	62.50	CP	75.00
16951A05H8	GANDHE SOMA SHEKAR	LAODE	83.78	EC	83.87	EP&C LAB	100.00	CMIC	88.88	EP	86.66	CP	82.35
16951A0492	KOLUKUNDI NAVEEN KUMAR	LAODE	76.19	EC	90.62	EP&C LAB	100.00	CMIC	87.17	EP	78.12	CP	85.29
16951A04H9	DVL SRAVYA	LAODE	97.50	EC	92.85	EP&C LAB	100.00	CMIC	97.56	EP	100.00	CP	96.96
16951A05E4	KUMMARI ROHITH	LAODE	67.56	EC	67.74	EP&C LAB	100.00	CMIC	55.55	EP	60.00	CP	67.64
16951A04C8	T SAI DEEPAK	LAODE	89.47	EC	89.65	EP&C LAB	100.00	CMIC	92.30	EP	90.62	CP	97.05
16951A1223	BALUSUPATI NIKITHA	LAODE	74.35	EC	60.60	EP&C LAB	87.50	CMIC	76.19	EP	75.00	CP	66.66
16951A0109	ANVESH DHARAMSOTHU	ENG	76.00	LAODE	73.80	EC	61.29	AP	59.52	ED	53.33	COMM LAB	58.33
16951A0582	CHALLA MANISHKUMAR REDDY	LAODE	92.30	EC	97.14	EP&C LAB	100.00	CMIC	92.10	EP	90.00	CP	91.66
16951A0310	VEMULA DAVE KOMAL	ENG	86.36	LAODE	81.08	EC	88.57	AP	93.75	ED	93.33	COMM LAB	100.00
16951A0420	ARYA RAJ CLINTON	LAODE	67.50	EC	69.69	EP&C LAB	60.00	CMIC	65.11	EP	67.64	CP	75.00
16951A0173	JALADI SOUMYA	ENG	83.33	LAODE	88.09	EC	100.00	AP	94.73	ED	100.00	COMM LAB	100.00
16951A0227	LAKAVATH SAI TEJA	LAODE	59.52	EC	68.42	EP&C LAB	71.42	CMIC	60.52	EP	63.33	CP	62.50
16951A0567	ABDUL KHADEER	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0166	ASHALA SHARATH KUMAR	ENG	88.88	LAODE	88.09	EC	90.90	AP	84.21	ED	86.66	COMM LAB	80.00
16951A0326	MOTAPARTHI JANARDHAN CHOWDARY	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0134	DASARI MITHIL	ENG	92.00	LAODE	92.85	EC	90.32	AP	95.23	ED	86.66	COMM LAB	66.66
16951A04F3	P V N SAI TEJA	LAODE	71.05	EC	62.06	EP&C LAB	100.00	CMIC	76.92	EP	65.62	CP	73.52
16951A0536	RAPAKA DILIP KUMAR	LAODE	100.00	EC	100.00	EP&C LAB	87.50	CMIC	100.00	EP	100.00	CP	95.83
16951A0332	V JYOTHIRMAYEE	ENG	95.45	LAODE	97.29	EC	97.14	AP	93.75	ED	100.00	COMM LAB	87.50
16951A0361	GADDAM RAHUL	ENG	88.46	LAODE	88.57	EC	85.71	AP	91.42	ED	86.00	COMM LAB	100.00
16951A0522	ASHISH KUMAR THAKUR	LAODE	100.00	EC	97.22	EP&C LAB	87.50	CMIC	97.36	EP	100.00	CP	95.83
16951A05M8	UMA DOBBALA	LAODE	93.75	EC	93.93	EP&C LAB	100.00	CMIC	95.55	EP	91.66	CP	100.00
16951A1203	KULAKARNI ARCHIT	LAODE	79.48	EC	84.84	EP&C LAB	62.50	CMIC	88.09	EP	90.62	CP	80.55
16951A0312	VODURI DINESH KUMAR	ENG	95.45	LAODE	100.00	EC	100.00	AP	100.00	ED	93.33	COMM LAB	87.50
16951A0525	PANDIRLA BHANU PRANAV	LAODE	89.18	EC	94.44	EP&C LAB	87.50	CMIC	84.21	EP	86.66	CP	66.66
16951A05C8	PRIYAM YADAV	LAODE	89.18	EC	93.54	EP&C LAB	100.00	CMIC	97.22	EP	96.66	CP	97.05
16951A0502	ABHIST KUMAR	LAODE	89.18	EC	88.88	EP&C LAB	87.50	CMIC	89.47	EP	93.33	CP	87.50
16951A05K7	KAMBHAMPATI SRI VARUN	LAODE	71.87	EC	81.81	EP&C LAB	66.66	CMIC	66.66	EP	80.55	CP	81.81
16951A05G3	PAYAM SAI RAM	LAODE	78.37	EC	80.64	EP&C LAB	85.71	CMIC	80.55	EP	83.33	CP	82.35

16951A0168	ADE SHIVA KUMAR	ENG	27.77	LAODE	26.19	EC	21.21	AP	21.05	ED	0.00	COMM LAB	20.00
16951A05J8	NADELLA SOUJANYA	LAODE	75.00	EC	78.78	EP&C LAB	66.66	CMIC	82.22	EP	72.22	CP	72.72
16951A0203	PEDDAPURAM AVINASH	LAODE	88.09	EC	86.84	EP&C LAB	85.71	CMIC	89.47	EP	90.00	CP	93.75
16951A05C3	PRASHANT TIWARI	LAODE	89.18	EC	100.00	EP&C LAB	100.00	CMIC	86.11	EP	93.33	CP	88.23
16951A0591	PASUPULATI NAGA VENI	LAODE	92.30	EC	85.71	EP&C LAB	80.00	CMIC	94.73	EP	90.00	CP	91.66
16951A05A7	UPPALAPATI NISHITHA	LAODE	97.43	EC	94.28	EP&C LAB	100.00	CMIC	94.73	EP	93.33	CP	95.83
16951A0205	KANCHU BEERAI AH	LAODE	80.95	EC	84.21	EP&C LAB	85.71	CMIC	86.84	EP	80.00	CP	84.37
16951A0585	BATHULA MEGHANA	LAODE	69.23	EC	74.28	EP&C LAB	60.00	CMIC	76.31	EP	83.33	CP	66.66
16951A2179	REPALA SATHWIKKRISHNA	ENG	95.65	LAODE	91.89	EC	96.96	AP	82.85	ED	100.00	COMM LAB	80.00
16951A1225	PALLAVI DASH	LAODE	97.43	EC	96.96	EP&C LAB	100.00	CMIC	97.61	EP	100.00	CP	91.66
16951A0333	KOTIKALAPUDI KAILASA SATYA SAI KRISHNA	ENG	59.09	LAODE	62.16	EC	68.57	AP	68.75	ED	53.33	COMM LAB	50.00
16951A0555	VADDEMPUDI JASWANTH SAI	LAODE	100.00	EC	97.22	EP&C LAB	100.00	CMIC	100.00	EP	93.33	CP	83.33
16951A04M0	KOMPELLA VENKATA VARUN	LAODE	77.50	EC	67.85	EP&C LAB	85.71	CMIC	73.17	EP	67.64	CP	75.75
16951A0305	CHINTHAPALLI ARAVIND	ENG	90.90	LAODE	94.59	EC	88.57	AP	93.75	ED	86.66	COMM LAB	87.50
16951A0355	MIDSALA OMKAR	ENG	73.07	LAODE	82.85	EC	82.85	AP	85.71	ED	76.00	COMM LAB	100.00
16951A2118	PILLA GANESH	ENG	78.57	LAODE	70.73	EC	91.17	AP	75.00	ED	80.85	COMM LAB	100.00
16951A0147	GALI RAJ KAMAL	ENG	55.55	LAODE	50.00	EC	42.42	AP	36.84	ED	13.33	COMM LAB	40.00
16951A0404	GURRAM ADARSHA	LAODE	100.00	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0533	RANGAPURAM DEEKSHITH SAGAR	LAODE	94.59	EC	94.44	EP&C LAB	87.50	CMIC	94.73	EP	96.66	CP	100.00
16951A05P1	YARLAGADDA YASHWANTH	LAODE	87.50	EC	81.81	EP&C LAB	83.33	CMIC	88.88	EP	91.66	CP	90.90
16951A0318	BHARATHA GANESH	ENG	81.81	LAODE	81.08	EC	80.00	AP	93.75	ED	77.77	COMM LAB	87.50
16951A04B2	VARDHANAPU RAAJITHA	LAODE	78.57	EC	71.87	EP&C LAB	83.33	CMIC	74.35	EP	81.25	CP	67.64
16951A1209	RAJBUX KESHAV KUMAR	LAODE	84.61	EC	81.81	EP&C LAB	100.00	CMIC	85.71	EP	90.62	CP	86.11
16951A1231	CHINTALA RAMU	LAODE	94.87	EC	96.96	EP&C LAB	87.50	CMIC	97.61	EP	93.75	CP	91.66
16951A2196	REDDY SUPRIYA	ENG	91.30	LAODE	89.18	EC	90.90	AP	85.71	ED	87.75	COMM LAB	80.00
16951A2125	GUNDAVARAPU INDIRA LAKSHMI	ENG	85.71	LAODE	87.80	EC	79.41	AP	83.33	ED	74.46	COMM LAB	83.33
16951A0391	K UDAY KIRAN	ENG	92.30	LAODE	94.28	EC	91.42	AP	88.57	ED	94.00	COMM LAB	75.00
16951A04J9	SRISAILAMNAYAK ESLAVATH	LAODE	90.00	EC	82.14	EP&C LAB	100.00	CMIC	90.24	EP	85.29	CP	90.90
16951A0451	KOORA KARTHIK	LAODE	95.00	EC	93.93	EP&C LAB	100.00	CMIC	97.67	EP	100.00	CP	96.87
16951A1206	VANKUDOTH KALYAN	LAODE	20.51	EC	24.24	EP&C LAB	37.50	CMIC	0.00	EP	25.00	CP	30.55

16951A2111	DOUDU BIKSHAPATHI	ENG	89.28	LAODE	78.04	EC	73.52	AP	72.22	ED	70.21	COMM LAB	66.66
16951A0349	BANAVATH NAGENDAR	ENG	95.45	LAODE	86.48	EC	85.71	AP	100.00	ED	86.66	COMM LAB	87.50
16951A0596	B NARSING RAO	LAODE	89.74	EC	88.57	EP&C LAB	100.00	CMIC	86.84	EP	90.00	CP	79.16
16951A04H3	PADIDHAM SHIVA SAI	LAODE	52.50	EC	53.57	EP&C LAB	85.71	CMIC	63.41	EP	58.82	CP	60.60
16951A04K4	DARAVATH SUPRIYA	LAODE	87.50	EC	75.00	EP&C LAB	85.71	CMIC	82.92	EP	91.17	CP	72.72
16951A2153	V RANJITH NAIDU	ENG	96.42	LAODE	95.12	EC	100.00	AP	97.22	ED	100.00	COMM LAB	100.00
16951A0472	SANDULA MADHAVI	LAODE	90.47	EC	81.25	EP&C LAB	83.33	CMIC	84.61	EP	78.12	CP	85.29
16951A2186	VADUPU SIVA SAI SIDDARTHA	ENG	100.00	LAODE	100.00	EC	100.00	AP	97.14	ED	100.00	COMM LAB	100.00
16951A0528	KETHADI CHAITHANYA	LAODE	97.29	EC	94.44	EP&C LAB	87.50	CMIC	92.10	EP	93.33	CP	87.50
16951A0474	KUNAL MAHARANA	LAODE	78.57	EC	81.25	EP&C LAB	100.00	CMIC	79.48	EP	81.25	CP	88.23
16951A0573	KURUHURI KRISHNA SRINIVAS SRIKAR	LAODE	89.74	EC	80.00	EP&C LAB	60.00	CMIC	84.21	EP	76.66	CP	58.33
16951A1219	GOTTUMUKKALA MRUDHULA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A2103	PULIPALUPULA AKASH	ENG	100.00	LAODE	97.56	EC	97.05	AP	97.22	ED	100.00	COMM LAB	100.00
16951A0527	CHEEDI CHAITHANYA	LAODE	83.78	EC	88.88	EP&C LAB	75.00	CMIC	84.21	EP	86.66	CP	83.33
16951A05Q0	M DATTA SAI KRISHNA MOHAN	LAODE	84.37	EC	84.84	EP&C LAB	100.00	CMIC	82.22	EP	86.11	CP	90.90
16951A04N5	GOPU SUJITH	LAODE	82.50	EC	82.14	EP&C LAB	100.00	CMIC	80.48	EP	91.17	CP	81.81
16951A05P6	DHRUTI JOSHI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04M4	CHIMMULA VINEESHA	LAODE	92.50	EC	96.42	EP&C LAB	100.00	CMIC	95.12	EP	97.05	CP	96.96
16951A04A6	PATIL PRABHAKAR	LAODE	61.90	EC	65.62	EP&C LAB	66.66	CMIC	66.66	EP	65.62	CP	61.76
16951A2197	THATIPAMULA SWESHIKA	ENG	82.60	LAODE	86.48	EC	81.81	AP	91.42	ED	79.59	COMM LAB	80.00
16951A0577	VEERAMACHANENI MADHURIMA SAI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A2161	VAMPU ROHITH	ENG	95.65	LAODE	83.78	EC	90.90	AP	85.71	ED	85.71	COMM LAB	100.00
16951A0535	THANDU DHANUSH	LAODE	97.29	EC	100.00	EP&C LAB	87.50	CMIC	97.36	EP	96.66	CP	95.83
16951A0406	S S S N V ADITHYA	LAODE	95.00	EC	100.00	EP&C LAB	100.00	CMIC	93.02	EP	94.11	CP	96.87
16951A0204	AALE BALAKRISHNA	LAODE	90.47	EC	84.21	EP&C LAB	85.71	CMIC	78.94	EP	90.00	CP	81.25
16951A05B5	T PRADEEP GOPAL PATNAIK	LAODE	84.61	EC	82.85	EP&C LAB	40.00	CMIC	86.84	EP	80.00	CP	79.16
16951A04M6	JANGAM VINITHA	LAODE	97.50	EC	92.85	EP&C LAB	100.00	CMIC	97.56	EP	91.17	CP	96.96
16951A05N6	VIDYASREE M	LAODE	96.87	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0148	CHITHAPURAM RAKESH	ENG	77.77	LAODE	83.33	EC	78.78	AP	89.47	ED	86.66	COMM LAB	60.00
16951A0372	R SAGARIKA	ENG	92.30	LAODE	88.57	EC	94.28	AP	94.28	ED	100.00	COMM LAB	75.00

16951A2115	VEMULA DIVYA	ENG	100.00	LAODE	100.00	EC	100.00	AP	97.22	ED	100.00	COMM LAB	100.00
16951A0436	G HARI KIRAN NAIK	LAODE	95.00	EC	96.96	EP&C LAB	80.00	CMIC	95.34	EP	85.29	CP	90.62
16951A03A1	KADIRAM YASHWANTH GOUD	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A05C7	KANDIMALLA PREETHAM SAI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0438	B HARITHA	LAODE	97.50	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0545	MAGULURU GURU SAI PRANAY	LAODE	86.48	EC	86.11	EP&C LAB	87.50	CMIC	81.57	EP	90.00	CP	91.66
16951A0568	PITTALA KINNERA	LAODE	87.17	EC	85.71	EP&C LAB	100.00	CMIC	81.57	EP	90.00	CP	83.33
16951A04E1	MANGALAGIRI SAI PRASAD	LAODE	86.84	EC	86.20	EP&C LAB	71.42	CMIC	89.74	EP	84.37	CP	91.17
16951A04K7	PASAPULA SUSHMA	LAODE	75.00	EC	71.42	EP&C LAB	100.00	CMIC	78.04	EP	82.35	CP	81.81
16951A04K3	POTHULA SUPRITH	LAODE	72.50	EC	71.42	EP&C LAB	85.71	CMIC	75.60	EP	73.52	CP	78.78
16951A0225	RAMACHANDRA PREETHAM AYYAGARI	LAODE	90.47	EC	92.10	EP&C LAB	85.71	CMIC	92.10	EP	93.33	CP	90.62
16951A0139	K NIKITHA	ENG	92.00	LAODE	88.09	EC	83.87	AP	95.23	ED	80.00	COMM LAB	66.66
16951A1246	SURAJ KUMAR	LAODE	92.30	EC	96.96	EP&C LAB	100.00	CMIC	95.23	EP	96.87	CP	88.88
16951A2105	C ANUDEEP REDDY	ENG	85.71	LAODE	82.92	EC	94.11	AP	94.44	ED	93.61	COMM LAB	100.00
16951A05K3	PODICHENAPALLY SRI HARSHAVARDHAN GOUD	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	97.22	CP	96.96
16951A0177	BODIGAM SURESHKUMAR	ENG	88.88	LAODE	92.85	EC	100.00	AP	97.36	ED	100.00	COMM LAB	100.00
16951A04A1	NEELA PAVAN KUMAR	LAODE	85.71	EC	93.75	EP&C LAB	83.33	CMIC	82.05	EP	81.25	CP	91.17
16951A0149	KANCHANAKUNTLA RAMA KRISHNA REDDY	ENG	77.77	LAODE	85.71	EC	75.75	AP	78.94	ED	73.33	COMM LAB	60.00
16951A04C1	ALETI RAVINDER REDDY	LAODE	81.57	EC	75.86	EP&C LAB	85.71	CMIC	82.05	EP	84.37	CP	85.29
16951A2133	SANGAMREDDY MANOJ PAPAIAH	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0386	MAMIDALA SURAJ KRISHNA KOUNDINYA	ENG	61.53	LAODE	54.28	EC	54.28	AP	60.00	ED	32.00	COMM LAB	100.00
16951A0363	KELUTH RAM PRASAD	ENG	38.46	LAODE	54.28	EC	51.42	AP	34.28	ED	28.00	COMM LAB	50.00
16951A05N2	K VARSHA	LAODE	96.87	EC	87.87	EP&C LAB	100.00	CMIC	91.11	EP	94.44	CP	96.96
16951A05G4	GINNAVARAM SAI RUCHITH REDDY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	100.00	CP	97.05
16951A0458	ADABALA TEJA SATYA SAI PAVAN	LAODE	97.50	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	96.87
16951A0599	G NEELIMA	LAODE	84.61	EC	85.71	EP&C LAB	80.00	CMIC	86.84	EP	93.33	CP	83.33
16951A2147	TIRUMALA RAJU PREETHI	ENG	100.00	LAODE	95.12	EC	91.17	AP	91.66	ED	89.36	COMM LAB	100.00
16951A0155	KORIPALLI SAI VISHNU	ENG	88.88	LAODE	90.47	EC	90.90	AP	94.73	ED	93.33	COMM LAB	80.00
16951A0336	VERPULA KARTHIK	ENG	86.36	LAODE	78.37	EC	77.14	AP	81.25	ED	75.55	COMM LAB	100.00
16951A05K4	POPURI SRI HARSHINI	LAODE	93.75	EC	93.93	EP&C LAB	100.00	CMIC	95.55	EP	97.22	CP	93.93

16951A05A3	KOMMULA NIKHITH REDDY	LAODE	87.17	EC	71.42	EP&C LAB	80.00	CMIC	76.31	EP	83.33	CP	66.66
16951A05N4	NAGARoor VENKATA LAKSHMI	LAODE	81.25	EC	81.81	EP&C LAB	83.33	CMIC	75.55	EP	80.55	CP	75.75
16951A04J5	GANTA SRI KAVYA	LAODE	90.00	EC	96.42	EP&C LAB	100.00	CMIC	87.80	EP	94.11	CP	84.84
16951A04C7	TULASI SAHITYA SAI SRI	LAODE	89.47	EC	89.65	EP&C LAB	100.00	CMIC	87.17	EP	93.75	CP	91.17
16951A0464	BANDI LAKSHMI PRASANNA	LAODE	88.09	EC	93.75	EP&C LAB	100.00	CMIC	87.17	EP	90.62	CP	91.17
16951A05H4	BANOTH SHIVANI	LAODE	59.45	EC	67.74	EP&C LAB	100.00	CMIC	63.88	EP	63.33	CP	67.64
16951A05L5	ANKAM SUDHEERA	LAODE	93.75	EC	93.93	EP&C LAB	83.33	CMIC	84.44	EP	91.66	CP	84.84
16951A0144	BEJALA PRASHANTH	ENG	84.00	LAODE	92.85	EC	83.87	AP	85.71	ED	80.00	COMM LAB	33.33
16951A05N8	UMMADI VISHNU VARDHAN REDDY	LAODE	100.00	EC	90.90	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04E9	ARANGI SAI VENKATA SANDEEP	LAODE	100.00	EC	93.10	EP&C LAB	100.00	CMIC	97.43	EP	93.75	CP	97.05
16951A2131	PILLI MADHURI	ENG	92.85	LAODE	100.00	EC	100.00	AP	80.55	ED	87.23	COMM LAB	100.00
16951A0223	GAJJI PRUDHVI SAI	LAODE	71.42	EC	76.31	EP&C LAB	71.42	CMIC	73.68	EP	76.66	CP	71.87
16951A2188	GUNDELLY SRAVAN KUMAR	ENG	78.26	LAODE	75.67	EC	78.78	AP	60.00	ED	75.51	COMM LAB	60.00
16951A0138	SABBAVARAPU NIKHILA	ENG	80.00	LAODE	85.71	EC	74.19	AP	80.95	ED	66.66	COMM LAB	100.00
16951A0377	VUTAKURI SAIRANGANATH	ENG	100.00	LAODE	97.14	EC	100.00	AP	100.00	ED	100.00	COMM LAB	75.00
16951A1242	SRI SINDHU MANDURI	LAODE	89.74	EC	93.93	EP&C LAB	100.00	CMIC	90.47	EP	93.75	CP	94.44
16951A04G8	NARAPARAJU SHIVA RAM SAI ATAL	LAODE	78.94	EC	75.86	EP&C LAB	85.71	CMIC	84.61	EP	87.50	CP	73.52
16951A0127	KALIDAS KASHIWALE	ENG	96.00	LAODE	97.61	EC	90.32	AP	92.85	ED	93.33	COMM LAB	66.66
16951A04K1	RAPAKA SUJANA	LAODE	90.00	EC	92.85	EP&C LAB	100.00	CMIC	97.56	EP	91.17	CP	96.96
16951A0237	VADLOORI VAMSHI KUMAR	LAODE	88.09	EC	97.36	EP&C LAB	100.00	CMIC	89.47	EP	93.33	CP	93.75
16951A0544	BATTU GOWTHAMI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05P4	VARAKANTI SWATHI YADAV	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04L5	BOINAPALLY VARUN	LAODE	75.00	EC	75.00	EP&C LAB	85.71	CMIC	80.48	EP	79.41	CP	84.84
16951A2159	BALLA RITHUSHA	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0379	ARKALA SAKETH REDDY	ENG	80.76	LAODE	88.57	EC	82.85	AP	82.85	ED	76.00	COMM LAB	75.00
16951A05B1	DAMEKAR PALLAVI RAJ	LAODE	97.43	EC	97.14	EP&C LAB	100.00	CMIC	97.36	EP	100.00	CP	100.00
16951A0570	PEREPA KOUSHIK	LAODE	94.87	EC	91.42	EP&C LAB	80.00	CMIC	97.36	EP	93.33	CP	95.83
16951A0320	KALE HANUMANTH	ENG	100.00	LAODE	94.59	EC	97.14	AP	93.75	ED	100.00	COMM LAB	100.00
16951A1224	BASHABOINA NITHIN	LAODE	79.48	EC	75.75	EP&C LAB	75.00	CMIC	66.66	EP	81.25	CP	52.77
16951A0176	TEJAVATHU SURESH	ENG	88.88	LAODE	92.85	EC	93.93	AP	94.73	ED	93.33	COMM LAB	80.00

16951A05B8	GADEY RESHMA SUNDARI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05C1	MANTHENA PRAMODINI	LAODE	97.29	EC	96.77	EP&C LAB	100.00	CMIC	100.00	EP	96.66	CP	100.00
16951A05B9	PATNAM SREENATH REDDY	LAODE	71.79	EC	74.28	EP&C LAB	60.00	CMIC	73.68	EP	80.00	CP	75.00
16951A04G7	RETTANGI SHIVA KUMAR	LAODE	89.47	EC	82.75	EP&C LAB	85.71	CMIC	87.17	EP	93.75	CP	85.29
16951A0418	LINGALA ARTHI	LAODE	75.00	EC	72.72	EP&C LAB	80.00	CMIC	69.76	EP	76.47	CP	75.00
16951A0560	G SHASHANK	LAODE	94.59	EC	91.66	EP&C LAB	75.00	CMIC	89.47	EP	100.00	CP	91.66
16951A1240	K SRI LAKSHMI	LAODE	92.30	EC	93.93	EP&C LAB	100.00	CMIC	92.85	EP	96.87	CP	91.66
16951A0208	MOHAMMED GHOUSEUDDIN	LAODE	76.19	EC	60.52	EP&C LAB	85.71	CMIC	68.42	EP	73.33	CP	65.62
16951A2176	YENNAJU SANGEETH KUMAR	ENG	91.30	LAODE	91.89	EC	96.96	AP	85.71	ED	93.87	COMM LAB	80.00
16951A2184	MOHAMMAD SHOAB AKTHAR	ENG	86.95	LAODE	89.18	EC	87.87	AP	77.14	ED	81.63	COMM LAB	80.00
16951A0499	JANANI PANNEER SELVAM	LAODE	97.61	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0135	PONNAMENI NAVEEN KUMAR	ENG	92.00	LAODE	88.09	EC	83.87	AP	85.71	ED	73.33	COMM LAB	91.66
16951A05J2	VEMULAPALLY MADAN DATTA	LAODE	81.25	EC	75.75	EP&C LAB	83.33	CMIC	73.33	EP	69.44	CP	75.75
16951A0137	CHITTURI NIKHILA	ENG	96.00	LAODE	100.00	EC	96.77	AP	97.61	ED	93.33	COMM LAB	66.66
16951A2124	HIMASRI SWARGAM	ENG	96.42	LAODE	92.68	EC	94.11	AP	80.55	ED	93.61	COMM LAB	100.00
16951A0457	MANDA SINITH KUMAR	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0170	KARRA SHRAVYA	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A04J7	MARRKANTI SRIKANTH	LAODE	85.00	EC	82.14	EP&C LAB	85.71	CMIC	85.36	EP	88.23	CP	84.84
16951A05D5	KOVVADA RAJEEV LAKSHMI NARASIMHA	LAODE	86.48	EC	96.77	EP&C LAB	100.00	CMIC	97.22	EP	100.00	CP	94.11
16951A05A9	NITHIN REDDY VAKA	LAODE	100.00	EC	97.14	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	95.83
16951A04K0	TUNGA SUBRAMANYAM	LAODE	87.50	EC	85.71	EP&C LAB	100.00	CMIC	92.68	EP	88.23	CP	90.90
16951A0446	RONDLA JHANSI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A2148	E PRIYANKA	ENG	96.42	LAODE	87.80	EC	85.29	AP	83.33	ED	89.36	COMM LAB	100.00
16951A0327	PENDYALA JASWANATH	ENG	81.81	LAODE	89.18	EC	88.57	AP	93.75	ED	80.00	COMM LAB	75.00
16951A0101	MOHAMMED ABDUL MAJID	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A04G9	SHAIK SOHAIL ALI	LAODE	73.68	EC	72.41	EP&C LAB	71.42	CMIC	76.92	EP	78.12	CP	76.47
16951A0558	MULLAPUDI PRUDHVI NARAYANA SANTHOSH	LAODE	81.08	EC	86.11	EP&C LAB	100.00	CMIC	78.94	EP	86.66	CP	79.16
16951A1207	MASETTI KAPILDEV	LAODE	92.30	EC	93.93	EP&C LAB	100.00	CMIC	92.85	EP	96.87	CP	88.88
16951A0430	JHARAPLA DEEPTHI	LAODE	97.50	EC	90.90	EP&C LAB	100.00	CMIC	95.34	EP	94.11	CP	100.00
16951A2168	SAI TEJA PONNAM	ENG	100.00	LAODE	100.00	EC	100.00	AP	97.14	ED	100.00	COMM LAB	100.00

16951A21B3	ROKKAM MOHIT RAO	ENG	86.95	LAODE	78.37	EC	81.81	AP	45.71	ED	81.63	COMM LAB	60.00
16951A04L6	PIKKILI VEERENDRA	LAODE	62.50	EC	67.85	EP&C LAB	85.71	CMIC	73.17	EP	73.52	CP	75.75
16951A0501	DAMMAI ABHISHAKE	LAODE	97.29	EC	94.44	EP&C LAB	75.00	CMIC	89.47	EP	96.66	CP	91.66
16951A0321	DUDAM HARIKRISHNA	ENG	40.90	LAODE	51.35	EC	51.42	AP	65.62	ED	17.77	COMM LAB	25.00
16951A04G3	CHALLURI SAREENA	LAODE	81.57	EC	75.86	EP&C LAB	85.71	CMIC	84.61	EP	93.75	CP	79.41
16951A0459	S KEERTHI	LAODE	92.85	EC	96.87	EP&C LAB	100.00	CMIC	89.74	EP	93.75	CP	94.11
16951A04F0	MANDEPUDI SAIKUMAR	LAODE	97.36	EC	96.55	EP&C LAB	100.00	CMIC	100.00	EP	96.87	CP	97.05
16951A05K2	KADIYALA SRI CHARAN	LAODE	81.25	EC	78.78	EP&C LAB	83.33	CMIC	77.77	EP	80.55	CP	78.78
16951A05H9	KUNCHALA VENKATA KRISHNA PRASAD	LAODE	97.29	EC	96.77	EP&C LAB	100.00	CMIC	100.00	EP	96.66	CP	94.11
16951A0141	YAPATLA PAVAN KUMAR	ENG	80.00	LAODE	78.57	EC	64.51	AP	78.57	ED	60.00	COMM LAB	58.33
16951A04M8	SANDU VINOD KUMAR	LAODE	85.00	EC	82.14	EP&C LAB	100.00	CMIC	95.12	EP	88.23	CP	90.90
16951A0463	SAURAV KUMAR SHARMA	LAODE	95.23	EC	100.00	EP&C LAB	100.00	CMIC	92.30	EP	93.75	CP	100.00
16951A05K6	C M K SRI SHALINI	LAODE	96.87	EC	93.93	EP&C LAB	100.00	CMIC	100.00	EP	94.44	CP	93.93
16951A1250	YAGA VAISHNAVI	LAODE	94.87	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0540	ADEPU ESWANTH	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A1204	JAGARLAMUDI DIVYA CHAUDARY	LAODE	87.17	EC	90.90	EP&C LAB	87.50	CMIC	90.47	EP	90.62	CP	83.33
16951A1222	THUMMALA NIKHITHA REDDY	LAODE	87.17	EC	84.84	EP&C LAB	75.00	CMIC	88.09	EP	81.25	CP	77.77
16951A0479	G MANISHA	LAODE	97.61	EC	96.87	EP&C LAB	100.00	CMIC	100.00	EP	93.75	CP	100.00
16951A04D1	ARIGE SAI KIRAN	LAODE	68.42	EC	75.86	EP&C LAB	57.14	CMIC	76.92	EP	81.25	CP	67.64
16951A0179	PALLERLA THARUN	ENG	100.00	LAODE	100.00	EC	100.00	AP	97.36	ED	100.00	COMM LAB	100.00
16951A04N4	PETLA LIKHITHA	LAODE	72.50	EC	78.57	EP&C LAB	71.42	CMIC	73.17	EP	79.41	CP	75.75
16951A05B6	TALLA PRANALI	LAODE	100.00	EC	97.14	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	83.33
16951A2165	VARAM SAI KIRAN	ENG	100.00	LAODE	100.00	EC	100.00	AP	94.28	ED	100.00	COMM LAB	100.00
16951A0146	DOGUPARTI PRIYANKA	ENG	83.33	LAODE	88.09	EC	84.84	AP	92.10	ED	80.00	COMM LAB	80.00
16951A0110	BOLLIKONDA APARNA	ENG	96.00	LAODE	95.23	EC	87.09	AP	97.61	ED	93.33	COMM LAB	100.00
16951A04D9	BUSARAPU L V SAI PRAKASH	LAODE	94.73	EC	93.10	EP&C LAB	100.00	CMIC	97.43	EP	93.75	CP	94.11
16951A2106	JAKKALA ARCHANA	ENG	100.00	LAODE	100.00	EC	100.00	AP	91.66	ED	100.00	COMM LAB	100.00
16951A05L0	KETHAVATH SRIKANTH	LAODE	65.62	EC	75.75	EP&C LAB	66.66	CMIC	73.33	EP	69.44	CP	75.75
16951A04M9	GUDLA VISHAL	LAODE	70.00	EC	67.85	EP&C LAB	71.42	CMIC	73.17	EP	76.47	CP	78.78
16951A0461	VANAMALA KOMAL NAIDU	LAODE	100.00	EC	96.87	EP&C LAB	100.00	CMIC	97.43	EP	96.87	CP	97.05

16951A04F4	GARUDKAR SAKETH CHANDRA	LAODE	86.84	EC	82.75	EP&C LAB	100.00	CMIC	87.17	EP	78.12	CP	94.11
16951A2167	ADAPA SAI SHREYA	ENG	95.65	LAODE	91.89	EC	90.90	AP	94.28	ED	95.91	COMM LAB	60.00
16951A1243	TALARI SRIDWITHA	LAODE	89.74	EC	93.93	EP&C LAB	87.50	CMIC	83.33	EP	87.50	CP	91.66
16951A0443	KOLLAREDDY JAHNAVI	LAODE	82.50	EC	81.81	EP&C LAB	60.00	CMIC	79.06	EP	85.29	CP	87.50
16951A05P3	MANDAVA TEJASWINI	LAODE	100.00	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0387	GUDLA SURENDRA KUMAR	ENG	96.15	LAODE	100.00	EC	97.14	AP	97.14	ED	100.00	COMM LAB	100.00
16951A04H2	S S SAMEEKSHA	LAODE	70.00	EC	67.85	EP&C LAB	71.42	CMIC	82.92	EP	73.52	CP	69.69
16951A0222	KOLLOJU PRANITHA	LAODE	61.90	EC	57.89	EP&C LAB	71.42	CMIC	47.36	EP	60.00	CP	50.00
16951A04D7	PAPPULA SAI NIKHIL	LAODE	89.47	EC	65.51	EP&C LAB	100.00	CMIC	84.61	EP	84.37	CP	82.35
16951A21B0	GARIMA JAIN	ENG	95.65	LAODE	94.59	EC	90.90	AP	57.14	ED	93.87	COMM LAB	100.00
16951A0140	MADISHETTY NITHISH	ENG	72.00	LAODE	64.28	EC	58.06	AP	59.52	ED	20.00	COMM LAB	41.66
16951A0368	KALLEM ROHAN	ENG	80.76	LAODE	91.42	EC	91.42	AP	91.42	ED	94.00	COMM LAB	100.00
16951A04L2	J UMESH	LAODE	92.50	EC	92.85	EP&C LAB	100.00	CMIC	95.12	EP	97.05	CP	90.90
16951A0506	HATHAGALE AJAYNAGASAI	LAODE	91.89	EC	97.22	EP&C LAB	87.50	CMIC	97.36	EP	96.66	CP	91.66
16951A0531	GOLCONDA DANIEL PREM KUMAR	LAODE	89.18	EC	91.66	EP&C LAB	87.50	CMIC	86.84	EP	90.00	CP	70.83
16951A0594	NIMMALA NAKUL REDDY	LAODE	92.30	EC	80.00	EP&C LAB	80.00	CMIC	86.84	EP	86.66	CP	79.16
16951A2114	NIMMALA DHEERUJA	ENG	75.00	LAODE	80.48	EC	70.58	AP	72.22	ED	76.59	COMM LAB	66.66
16951A0136	KADUDULA NEHA	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0102	BOINI AISHWARYA YADAV	ENG	92.00	LAODE	92.85	EC	83.87	AP	90.47	ED	86.66	COMM LAB	58.33
16951A0563	JYOTHIRANJAN MOHANTY	LAODE	97.43	EC	94.28	EP&C LAB	80.00	CMIC	97.36	EP	96.66	CP	95.83
16951A05D0	GUNDA PRUDHVI RAJ	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0238	A VISHNU	LAODE	73.80	EC	81.57	EP&C LAB	85.71	CMIC	76.31	EP	76.66	CP	78.12
16951A0537	KESIREDDY DINAKER REDDY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0219	KUKUTAPU NISHANTH KUMAR	LAODE	92.85	EC	97.36	EP&C LAB	100.00	CMIC	97.36	EP	93.33	CP	96.87
16951A0124	MOHAMMED HASAN	ENG	88.00	LAODE	92.85	EC	90.32	AP	92.85	ED	93.33	COMM LAB	66.66
16951A0435	NETALA GOUTHAM	LAODE	100.00	EC	93.93	EP&C LAB	100.00	CMIC	97.67	EP	97.05	CP	100.00
16951A0230	MAIKOTI SHIVAKUMAR	LAODE	90.47	EC	86.84	EP&C LAB	100.00	CMIC	86.84	EP	86.66	CP	90.62
16951A0350	MUNIGANTI NAGESHWAR	ENG	95.45	LAODE	97.29	EC	91.42	AP	90.62	ED	93.33	COMM LAB	87.50
16951A04E2	AYYARAPU SAI SAKETH	LAODE	65.78	EC	58.62	EP&C LAB	85.71	CMIC	69.23	EP	75.00	CP	70.58
16951A05A2	T NIKHIL YADAV	LAODE	100.00	EC	97.14	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	91.66

16951A04K5	MANASANI SURAJ	LAODE	95.00	EC	100.00	EP&C LAB	100.00	CMIC	95.12	EP	97.05	CP	96.96
16951A2173	T SAMANYU	ENG	82.60	LAODE	81.08	EC	84.84	AP	94.28	ED	81.63	COMM LAB	80.00
16951A2134	MOHEEB MOHAMMED UZ ZAMAN	ENG	92.85	LAODE	100.00	EC	91.17	AP	97.22	ED	87.23	COMM LAB	66.66
16951A04H8	UDUTHA SHRAVANI	LAODE	95.00	EC	89.28	EP&C LAB	85.71	CMIC	95.12	EP	100.00	CP	93.93
16951A05F0	VANGURI SAHITHI	LAODE	89.18	EC	90.32	EP&C LAB	100.00	CMIC	91.66	EP	90.00	CP	94.11
16951A05P2	YOSHITA BARAMPURAM	LAODE	93.75	EC	96.96	EP&C LAB	83.33	CMIC	95.55	EP	94.44	CP	96.96
16951A0308	RAJAVARAPU CHAITANYA KUMAR	ENG	50.00	LAODE	51.35	EC	60.00	AP	62.50	ED	60.00	COMM LAB	62.50
16951A2166	NAGUNURI SAI KUMAR	ENG	86.95	LAODE	94.59	EC	90.90	AP	88.57	ED	87.75	COMM LAB	80.00
16951A0572	LOKA KRANTHIKIRAN	LAODE	94.87	EC	91.42	EP&C LAB	100.00	CMIC	92.10	EP	93.33	CP	91.66
16951A04J4	MADA SREE SHALINI	LAODE	87.50	EC	82.14	EP&C LAB	100.00	CMIC	85.36	EP	97.05	CP	84.84
16951A05K5	RACHABATTUNI SRI RITVIK	LAODE	46.87	EC	42.42	EP&C LAB	33.33	CMIC	35.55	EP	38.88	CP	42.42
16951A2169	DASARI SAI VENKAT ANIRUDH	ENG	100.00	LAODE	94.59	EC	96.96	AP	94.28	ED	100.00	COMM LAB	80.00
16951A05H0	TUMATI SAMYUKTHA	LAODE	89.18	EC	83.87	EP&C LAB	100.00	CMIC	86.11	EP	86.66	CP	88.23
16951A1227	KALAHASTHI POOJITHA	LAODE	94.87	EC	96.96	EP&C LAB	100.00	CMIC	95.23	EP	96.87	CP	91.66
16951A0441	PARUCHURI HEMANTH SAI	LAODE	62.50	EC	66.66	EP&C LAB	100.00	CMIC	62.79	EP	76.47	CP	65.62
16951A04H1	MALLIPEDDI SUDHAKAR SRIHARSHA	LAODE	84.21	EC	86.20	EP&C LAB	100.00	CMIC	89.74	EP	90.62	CP	79.41
16951A1236	V SAI MEGHANA	LAODE	89.74	EC	90.90	EP&C LAB	100.00	CMIC	88.09	EP	87.50	CP	94.44
16951A2119	DYAVATI GANGADHAR	ENG	96.42	LAODE	90.24	EC	97.05	AP	94.44	ED	100.00	COMM LAB	100.00
16951A05B4	KOTTEM PAVANI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	96.66	CP	100.00
16951A0207	BACHHU CHANDANA	LAODE	100.00	EC	97.36	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	96.87
16951A04B6	TENNETI ABHISHEK	LAODE	97.36	EC	96.55	EP&C LAB	85.71	CMIC	97.43	EP	93.75	CP	94.11
16951A04E0	T SAI PRAKASH	LAODE	89.47	EC	86.20	EP&C LAB	100.00	CMIC	97.43	EP	90.62	CP	94.11
16951A0532	AKKI DATTATREYA	LAODE	94.59	EC	97.22	EP&C LAB	100.00	CMIC	97.36	EP	93.33	CP	83.33
16951A0314	SUNDU KAPOTH ESWARA PRANEETH	ENG	100.00	LAODE	100.00	EC	97.14	AP	100.00	ED	100.00	COMM LAB	100.00
16951A2152	A V RAMA MOHAN RAO	ENG	89.28	LAODE	90.24	EC	94.11	AP	86.11	ED	87.23	COMM LAB	100.00
16951A05K1	TUMMALA SRICHANDANA	LAODE	81.25	EC	75.75	EP&C LAB	66.66	CMIC	75.55	EP	75.00	CP	87.87
16951A0419	KOLUVULLA ARUNDATHI	LAODE	100.00	EC	93.93	EP&C LAB	100.00	CMIC	97.67	EP	97.05	CP	100.00
16951A0231	PAGADALA SRISAI	LAODE	85.71	EC	89.47	EP&C LAB	100.00	CMIC	81.57	EP	83.33	CP	87.50
16951A0478	NELLI MANISH	LAODE	92.85	EC	90.62	EP&C LAB	100.00	CMIC	97.43	EP	96.87	CP	88.23
16951A0341	UPPU LINGAMURTHY	ENG	54.54	LAODE	54.05	EC	62.85	AP	81.25	ED	44.44	COMM LAB	50.00

16951A0220	MODEM PAVAN KUMAR	LAODE	97.61	EC	97.36	EP&C LAB	100.00	CMIC	94.73	EP	96.66	CP	93.75
16951A0161	AMBATI SANJAY	ENG	94.44	LAODE	95.23	EC	96.96	AP	94.73	ED	80.00	COMM LAB	100.00
16951A0565	EJJAGANI KAVYA	LAODE	100.00	EC	100.00	EP&C LAB	80.00	CMIC	100.00	EP	96.66	CP	100.00
16951A0517	ANIRUDH KAUSHIK	LAODE	89.18	EC	91.66	EP&C LAB	100.00	CMIC	84.21	EP	86.66	CP	95.83
16951A0374	ANANDAM V V SAI KUMAR	ENG	80.76	LAODE	77.14	EC	74.28	AP	82.85	ED	68.00	COMM LAB	75.00
16951A0550	DARAM HARSHA VARDHINI	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	97.36	EP	93.33	CP	87.50
16951A0521	GUJJUKA ARCHANA	LAODE	97.29	EC	97.22	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	100.00
16951A0398	EUNNI VISHNU BHARADWAJ	ENG	80.76	LAODE	88.57	EC	82.85	AP	85.71	ED	70.00	COMM LAB	100.00
16951A0482	KALVAKUNTLA MITHILESH	LAODE	88.09	EC	96.87	EP&C LAB	100.00	CMIC	87.17	EP	93.75	CP	91.17
16951A0442	RAVELLA HIMACHANDANA	LAODE	92.50	EC	90.90	EP&C LAB	100.00	CMIC	93.02	EP	91.17	CP	93.75
16951A0477	SANGAREDDY GARI MANASWINI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0405	AMMULA ADITHYA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04L4	SHAMALA VARSHEETH	LAODE	80.00	EC	82.14	EP&C LAB	100.00	CMIC	82.92	EP	82.35	CP	81.81
16951A05B3	MUNAVATH PAVAN	LAODE	94.87	EC	97.14	EP&C LAB	100.00	CMIC	94.73	EP	93.33	CP	91.66
16951A0399	VISWA PUTTA	ENG	76.92	LAODE	88.57	EC	88.57	AP	94.28	ED	82.00	COMM LAB	50.00
16951A0440	ENDROJU HARSHITHA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0120	P ESHWAR	ENG	100.00	LAODE	95.23	EC	96.77	AP	95.23	ED	86.66	COMM LAB	100.00
16951A0571	ALLANI KOWSHIK	LAODE	92.30	EC	91.42	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	95.83
16951A0583	GOLI MANOHAR VENKAT GOVIND	LAODE	84.61	EC	85.71	EP&C LAB	100.00	CMIC	81.57	EP	86.66	CP	70.83
16951A1238	SAVYANSH SINGH	LAODE	76.92	EC	78.78	EP&C LAB	87.50	CMIC	80.95	EP	87.50	CP	80.55
16951A05F4	GANGANABOINA SAI KARTHIK YADAV	LAODE	91.89	EC	96.77	EP&C LAB	85.71	CMIC	94.44	EP	86.66	CP	94.11
16951A0468	CHENNAMSETTI LAXMI SANDHYA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0580	POLEPAKA MAHIMA	LAODE	71.79	EC	68.57	EP&C LAB	40.00	CMIC	71.05	EP	76.66	CP	70.83
16951A0307	ALLI BILLI BHARATH VASS	ENG	86.36	LAODE	91.89	EC	94.28	AP	87.50	ED	93.33	COMM LAB	87.50
16951A0315	SHAIK FARHATH	ENG	90.90	LAODE	97.29	EC	88.57	AP	87.50	ED	86.66	COMM LAB	87.50
16951A0496	ARE NIKHIL	LAODE	76.19	EC	84.37	EP&C LAB	100.00	CMIC	82.05	EP	81.25	CP	85.29
16951A0584	TIRUMALA MANOJKUMAR GOUD	LAODE	94.87	EC	91.42	EP&C LAB	80.00	CMIC	94.73	EP	93.33	CP	87.50
16951A2181	MOHAMMED SHABAZ	ENG	100.00	LAODE	94.59	EC	87.87	AP	91.42	ED	100.00	COMM LAB	80.00
16951A2191	BANTU SRIKANTH	ENG	91.30	LAODE	100.00	EC	96.96	AP	80.00	ED	100.00	COMM LAB	80.00
16951A05L8	BACHALAKURI SUNNY	LAODE	56.25	EC	48.48	EP&C LAB	50.00	CMIC	53.33	EP	47.22	CP	51.51

16951A0224	ALUKUCHI RAKESH	LAODE	83.33	EC	84.21	EP&C LAB	100.00	CMIC	81.57	EP	80.00	CP	84.37
16951A05F2	KONYALA SAI CHARAN	LAODE	83.78	EC	87.09	EP&C LAB	100.00	CMIC	94.44	EP	93.33	CP	91.17
16951A0359	CHALLA PRASHANTH	ENG	80.76	LAODE	94.28	EC	88.57	AP	80.00	ED	82.00	COMM LAB	100.00
16951A0164	CHILUMULA SATEESH REDDY	ENG	66.66	LAODE	76.19	EC	75.75	AP	78.94	ED	73.33	COMM LAB	80.00
16951A05C9	GUDIPALLY PRIYANKA	LAODE	94.59	EC	96.77	EP&C LAB	100.00	CMIC	91.66	EP	90.00	CP	91.17
16951A04F7	D SANDESH	LAODE	92.10	EC	96.55	EP&C LAB	100.00	CMIC	97.43	EP	96.87	CP	97.05
16951A0547	NULU HARI PRASAD	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0520	BABBULA ARAVIND KUMAR	LAODE	97.29	EC	94.44	EP&C LAB	75.00	CMIC	94.73	EP	100.00	CP	91.66
16951A0358	MADDIPATI PRANEETH	ENG	53.84	LAODE	60.00	EC	54.28	AP	54.28	ED	34.00	COMM LAB	75.00
16951A05F8	NARA SAIMALLIKARJUN CHOWDARY	LAODE	70.27	EC	70.96	EP&C LAB	85.71	CMIC	69.44	EP	70.00	CP	76.47
16951A0485	NENAVATH MOHAN NAIK	LAODE	97.61	EC	100.00	EP&C LAB	100.00	CMIC	94.87	EP	96.87	CP	100.00
16951A05J0	GUDIPALLY VISHNUVARDHAN REDDY	LAODE	83.78	EC	87.09	EP&C LAB	85.71	CMIC	80.55	EP	86.66	CP	85.29
16951A0316	SHAIK MOHAMMED FAZAL	ENG	90.90	LAODE	94.59	EC	91.42	AP	87.50	ED	95.55	COMM LAB	62.50
16951A04B4	THOUTIREDDY RAHUL REDDY	LAODE	28.57	EC	31.25	EP&C LAB	33.33	CMIC	28.20	EP	25.00	CP	23.52
16951A04N3	KATTA YAMUNA	LAODE	90.00	EC	92.85	EP&C LAB	100.00	CMIC	90.24	EP	97.05	CP	87.87
16951A04A2	PATHLAVATH PAVAN KUMAR	LAODE	88.09	EC	93.75	EP&C LAB	83.33	CMIC	84.61	EP	87.50	CP	91.17
16951A0131	MAMMAI MADHU KALYAN	ENG	88.00	LAODE	97.61	EC	90.32	AP	97.61	ED	100.00	COMM LAB	66.66
16951A1221	NIKHIL DHAGAY	LAODE	79.48	EC	87.87	EP&C LAB	75.00	CMIC	80.95	EP	84.37	CP	83.33
16951A2141	MA NIGAR FATHIMA	ENG	92.85	LAODE	92.68	EC	91.17	AP	72.22	ED	89.36	COMM LAB	83.33
16951A1253	PEERREDDYGARI VENKATRAM REDDY	LAODE	56.41	EC	51.51	EP&C LAB	87.50	CMIC	54.76	EP	62.50	CP	55.55
16951A0103	MASAPURAM AJAY KUMAR	ENG	88.00	LAODE	83.33	EC	83.87	AP	73.80	ED	53.33	COMM LAB	33.33
16951A2143	THIPPANI PAVAN KUMAR	ENG	64.28	LAODE	80.48	EC	82.35	AP	72.22	ED	68.08	COMM LAB	83.33
16951A0597	CHERU NAVEEN CHARAN	LAODE	53.84	EC	60.00	EP&C LAB	60.00	CMIC	57.89	EP	63.33	CP	45.83
16951A0338	RATHLAVATH KETHAN RATHOD	ENG	68.18	LAODE	70.27	EC	71.42	AP	71.87	ED	71.11	COMM LAB	75.00
16951A2180	RESHAB SAVANA	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0538	CHINTAGUNTA DINESH	LAODE	91.89	EC	97.22	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	91.66
16951A04F2	VELUMULA SAISUPRAJA	LAODE	86.84	EC	89.65	EP&C LAB	85.71	CMIC	87.17	EP	84.37	CP	82.35
16951A05L4	RANGAPURAM SRUJANA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0343	KUNCHAM MADHU KIRAN	ENG	68.18	LAODE	54.05	EC	74.28	AP	78.12	ED	64.44	COMM LAB	62.50
16951A05F1	AKKINENI SAI BHAVANA	LAODE	94.59	EC	100.00	EP&C LAB	100.00	CMIC	97.22	EP	96.66	CP	97.05

16951A21A2	DNS THARUN RAO	ENG	95.65	LAODE	89.18	EC	93.93	AP	91.42	ED	93.87	COMM LAB	100.00
16951A0322	THOKALA HARSHIT	ENG	72.72	LAODE	67.56	EC	71.42	AP	65.62	ED	57.77	COMM LAB	75.00
16951A05B2	KAGITHALA PAVAN KALYAN	LAODE	97.43	EC	100.00	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	95.83
16951A0523	BUSI ASHOK	LAODE	75.67	EC	80.55	EP&C LAB	87.50	CMIC	76.31	EP	66.66	CP	58.33
16951A0447	KALLAGUNTA KALESHWAR	LAODE	80.00	EC	81.81	EP&C LAB	100.00	CMIC	79.06	EP	85.29	CP	87.50
16951A0174	KALPAGURI SRAVANI	ENG	100.00	LAODE	92.85	EC	87.87	AP	89.47	ED	86.66	COMM LAB	80.00
16951A0510	BADRI AKHILA	LAODE	89.18	EC	88.88	EP&C LAB	87.50	CMIC	92.10	EP	90.00	CP	87.50
16951A05C2	PRANEETH REDDY NARRA	LAODE	91.89	EC	100.00	EP&C LAB	100.00	CMIC	94.44	EP	96.66	CP	94.11
16951A1220	SHAIK MUZEBUR RAHEMAN	LAODE	66.66	EC	69.69	EP&C LAB	87.50	CMIC	73.80	EP	84.37	CP	72.22
16951A05J9	M SPOORTHI	LAODE	90.62	EC	90.90	EP&C LAB	83.33	CMIC	88.88	EP	88.88	CP	87.87
16951A0215	DHARAVATH NAVEEN	LAODE	90.47	EC	92.10	EP&C LAB	85.71	CMIC	89.47	EP	90.00	CP	87.50
16951A1249	K TARUN KUMAR	LAODE	89.74	EC	90.90	EP&C LAB	100.00	CMIC	92.85	EP	96.87	CP	94.44
16951A0434	GNANA SAIGANESH CHITTAJALLU	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A04N0	KOLAMURU YAGNAPRIYA	LAODE	90.00	EC	85.71	EP&C LAB	100.00	CMIC	90.24	EP	79.41	CP	84.84
16951A0202	KATAMREDDY ANIL KUMAR REDDY	LAODE	97.61	EC	97.36	EP&C LAB	85.71	CMIC	97.36	EP	100.00	CP	93.75
16951A04E8	SAI TEJA TUDURU	LAODE	92.10	EC	93.10	EP&C LAB	85.71	CMIC	92.30	EP	96.87	CP	97.05
16951A0421	NUKAPAI AVINASH KUMAR	LAODE	55.00	EC	45.45	EP&C LAB	60.00	CMIC	51.16	EP	58.82	CP	62.50
16951A0214	VANAM MANASA	LAODE	92.85	EC	92.10	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	93.75
16951A0181	AREMPULA VAMSHI	ENG	83.33	LAODE	90.47	EC	87.87	AP	94.73	ED	80.00	COMM LAB	40.00
16951A2154	USHKABAVI SRAVANI	ENG	96.42	LAODE	87.80	EC	94.11	AP	88.88	ED	80.85	COMM LAB	100.00
16951A05D4	N RAJASHREE	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0491	THONUPUNOORI NARESH KUMAR	LAODE	95.23	EC	100.00	EP&C LAB	100.00	CMIC	92.30	EP	93.75	CP	100.00
16951A05A5	NISHANTH REDDY ASHIREDDY	LAODE	87.17	EC	91.42	EP&C LAB	100.00	CMIC	86.84	EP	90.00	CP	87.50
16951A0221	GADDAM PRANATHI	LAODE	97.61	EC	94.73	EP&C LAB	100.00	CMIC	94.73	EP	96.66	CP	93.75
16951A1211	NAKKOLA LAVANYA	LAODE	94.87	EC	90.90	EP&C LAB	62.50	CMIC	88.09	EP	93.75	CP	88.88
16951A05H5	GOTTIMUKKULA SHIVANI	LAODE	75.67	EC	80.64	EP&C LAB	57.14	CMIC	75.00	EP	80.00	CP	76.47
16951A0380	VEMULA SANDHYARANI	ENG	92.30	LAODE	94.28	EC	88.57	AP	91.42	ED	82.00	COMM LAB	100.00
16951A05P5	SEELAM AVINASH REDDY	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A21A0	NAGISSETTI TARUN SAIKUMAR	ENG	86.95	LAODE	83.78	EC	81.81	AP	65.71	ED	81.63	COMM LAB	100.00
16951A0389	AKULA SUSHMITHA	ENG	69.23	LAODE	77.14	EC	74.28	AP	74.28	ED	68.00	COMM LAB	25.00

16951A0121	CHITIKESHI GAYITHRI	ENG	72.00	LAODE	92.85	EC	77.41	AP	90.47	ED	86.66	COMM LAB	66.66
16951A2195	NALLAGATLA SUCHARITHA	ENG	95.65	LAODE	94.59	EC	93.93	AP	88.57	ED	79.59	COMM LAB	100.00
16951A0126	DABBETA JHANSI	ENG	92.00	LAODE	92.85	EC	87.09	AP	92.85	ED	80.00	COMM LAB	66.66
16951A0481	THIPPARAPU MANOJ PATIL	LAODE	71.42	EC	87.50	EP&C LAB	100.00	CMIC	76.92	EP	84.37	CP	85.29
16951A0408	ARIPAKA AISHWARYA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0494	SANDHYALA NAVEEN	LAODE	92.85	EC	93.75	EP&C LAB	100.00	CMIC	94.87	EP	96.87	CP	91.17
16951A0505	MADIKONDA AJAY KUMAR	LAODE	91.89	EC	94.44	EP&C LAB	100.00	CMIC	97.36	EP	96.66	CP	95.83
16951A1251	SARIPALLI VENKATA NAGA SANTOSH SRAVA	LAODE	74.35	EC	78.78	EP&C LAB	75.00	CMIC	73.80	EP	81.25	CP	75.00
16951A05F5	MAHANKALI SAI KIRAN	LAODE	78.37	EC	80.64	EP&C LAB	100.00	CMIC	77.77	EP	90.00	CP	85.29
16951A0213	SONNAITANKAM MANASA	LAODE	95.23	EC	97.36	EP&C LAB	100.00	CMIC	92.10	EP	96.66	CP	96.87
16951A0414	PAGE ANUSHA	LAODE	75.00	EC	75.75	EP&C LAB	100.00	CMIC	79.06	EP	82.35	CP	81.25
16951A2157	BODA RAMESH	ENG	26.08	LAODE	43.24	EC	39.39	AP	25.71	ED	12.24	COMM LAB	20.00
16951A05G6	PENTI SAI TEJA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0452	PATLOLLA KAVYA	LAODE	97.50	EC	96.96	EP&C LAB	100.00	CMIC	100.00	EP	94.11	CP	93.75
16951A0384	BARLOLU SHRAVAN KUMAR	ENG	76.92	LAODE	91.42	EC	80.00	AP	85.71	ED	68.00	COMM LAB	75.00
16951A0163	MALE SANJAY	ENG	88.88	LAODE	88.09	EC	93.93	AP	89.47	ED	86.66	COMM LAB	80.00
16951A0392	VAIBHAV SHARMA	ENG	73.07	LAODE	77.14	EC	80.00	AP	80.00	ED	76.00	COMM LAB	75.00
16951A0364	KATIVARAPU RAVIDANIEL	ENG	100.00	LAODE	97.14	EC	100.00	AP	100.00	ED	100.00	COMM LAB	100.00
16951A0210	KARRA GOUTHAM	LAODE	78.57	EC	78.94	EP&C LAB	85.71	CMIC	86.84	EP	80.00	CP	78.12
16951A04M7	T VINITHA	LAODE	92.50	EC	89.28	EP&C LAB	100.00	CMIC	92.68	EP	97.05	CP	93.93
16951A2123	AKUNOORI HEMANTH KUMAR	ENG	85.71	LAODE	68.29	EC	58.82	AP	41.66	ED	57.44	COMM LAB	66.66
16951A0211	DONTHA JAHNAVI	LAODE	92.85	EC	89.47	EP&C LAB	100.00	CMIC	89.47	EP	90.00	CP	93.75
16951A0587	PATHI MOHAN SAI KUMAR	LAODE	87.17	EC	88.57	EP&C LAB	80.00	CMIC	86.84	EP	83.33	CP	83.33
16951A0448	BRUNGI KALYAN KUMAR	LAODE	80.00	EC	81.81	EP&C LAB	100.00	CMIC	72.09	EP	76.47	CP	78.12
16951A2122	HARSHIT VERMA	ENG	100.00	LAODE	92.68	EC	88.23	AP	80.55	ED	80.85	COMM LAB	66.66
16951A0466	GUMMULA LAVANYA	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A05D7	RAM GOPAL ADAPA	LAODE	89.18	EC	93.54	EP&C LAB	85.71	CMIC	91.66	EP	93.33	CP	94.11
16951A0507	LA KAVATH AJAYKUMAR	LAODE	86.48	EC	77.77	EP&C LAB	87.50	CMIC	81.57	EP	83.33	CP	95.83
16951A0590	SANNAPPAGARI MYTHILI	LAODE	100.00	EC	100.00	EP&C LAB	80.00	CMIC	100.00	EP	96.66	CP	100.00
16951A0188	B YESHWANTH ROY	ENG	72.22	LAODE	85.71	EC	72.72	AP	71.05	ED	66.66	COMM LAB	80.00

16951A04K2	AKUNURI SUMITH	LAODE	90.00	EC	89.28	EP&C LAB	100.00	CMIC	92.68	EP	94.11	CP	90.90
16951A0348	GOTETI NAGA HARI PRIYA	ENG	86.36	LAODE	91.89	EC	91.42	AP	87.50	ED	93.33	COMM LAB	75.00
16951A1216	EDUPUGANTI MANISHA	LAODE	94.87	EC	100.00	EP&C LAB	87.50	CMIC	95.23	EP	96.87	CP	94.44
16951A2108	AYESHA JABEEN	ENG	85.71	LAODE	80.48	EC	76.47	AP	58.33	ED	70.21	COMM LAB	66.66
16951A05E6	PIPPIRI ROHITH	LAODE	86.48	EC	93.54	EP&C LAB	100.00	CMIC	80.55	EP	93.33	CP	85.29
16951A0543	BANDARI GODHA DEVI	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	100.00	EP	100.00	CP	100.00
16951A0337	BOKKISAM KETAN SAI GANESH	ENG	63.63	LAODE	64.86	EC	77.14	AP	84.37	ED	77.77	COMM LAB	100.00
16951A05P8	BOBBALA SAI RAMYA	LAODE	96.87	EC	96.96	EP&C LAB	100.00	CMIC	97.77	EP	97.22	CP	100.00
16951A0489	PENTA NAGARAJU	LAODE	88.09	EC	93.75	EP&C LAB	100.00	CMIC	84.61	EP	87.50	CP	94.11
16951A1237	LAKAVATH SAMPATH KUMAR	LAODE	82.05	EC	87.87	EP&C LAB	100.00	CMIC	85.71	EP	93.75	CP	86.11
16951A04G6	JEEDI SHARATH BABU	LAODE	94.73	EC	89.65	EP&C LAB	85.71	CMIC	94.87	EP	96.87	CP	91.17
16951A2113	P DEEPIKA	ENG	89.28	LAODE	80.48	EC	85.29	AP	86.11	ED	68.08	COMM LAB	83.33
16951A0360	CHOKKI PUNITHSAI	ENG	80.76	LAODE	80.00	EC	77.14	AP	82.85	ED	70.00	COMM LAB	75.00
16951A05D6	TALARI RAJU	LAODE	75.67	EC	77.41	EP&C LAB	71.42	CMIC	69.44	EP	83.33	CP	79.41
16951A05E5	PADIYATHARAKUNJAPPAN ROHITH	LAODE	91.89	EC	83.87	EP&C LAB	100.00	CMIC	86.11	EP	90.00	CP	82.35
16951A0586	VEERAGHANTA MOHAN KALYAN	LAODE	94.87	EC	94.28	EP&C LAB	100.00	CMIC	92.10	EP	93.33	CP	91.66
16951A0123	REDDI GREESHMA	ENG	64.00	LAODE	78.57	EC	61.29	AP	69.04	ED	60.00	COMM LAB	100.00
16951A05H1	KUDALA SANJAY	LAODE	81.08	EC	80.64	EP&C LAB	85.71	CMIC	77.77	EP	80.00	CP	79.41
16951A0142	PAWAN MISHRA	ENG	92.00	LAODE	90.47	EC	83.87	AP	80.95	ED	66.66	COMM LAB	66.66
16951A0108	ALEX SUHRUD GEDDATI	ENG	64.00	LAODE	73.80	EC	54.83	AP	59.52	ED	60.00	COMM LAB	66.66
16951A2149	RAJARAPU RACHANA	ENG	92.85	LAODE	97.56	EC	91.17	AP	88.88	ED	89.36	COMM LAB	100.00
16951A0394	VEERAVALLI VAMSI KRISHNA	ENG	38.46	LAODE	65.71	EC	45.71	AP	48.57	ED	22.00	COMM LAB	100.00
16951A0106	JOSHI AKSHAY	ENG	84.00	LAODE	90.47	EC	80.64	AP	88.09	ED	86.66	COMM LAB	66.66
16951A2174	TALARI SAMPATH	ENG	91.30	LAODE	94.59	EC	93.93	AP	88.57	ED	91.83	COMM LAB	100.00
16951A04D3	BADAVATH SAI KUMAR	LAODE	78.94	EC	75.86	EP&C LAB	85.71	CMIC	74.35	EP	78.12	CP	79.41
16951A2151	KOTTADA RAJESHBABU	ENG	82.14	LAODE	95.12	EC	100.00	AP	88.88	ED	93.61	COMM LAB	100.00
16951A0158	VANNELDAS SAIKRISHNA	ENG	94.44	LAODE	90.47	EC	96.96	AP	84.21	ED	86.66	COMM LAB	100.00
16951A04B5	GUMIDYALA RAJA RISHEEK	LAODE	88.09	EC	96.87	EP&C LAB	100.00	CMIC	84.61	EP	90.62	CP	88.23
16951A21A8	KANDHULA VISHNUVARDHAN REDDY	ENG	100.00	LAODE	97.29	EC	100.00	AP	94.28	ED	100.00	COMM LAB	80.00
16951A0512	SHAIK ALEENA	LAODE	100.00	EC	94.44	EP&C LAB	87.50	CMIC	97.36	EP	93.33	CP	87.50

16951A0428	LINGAVARJULA DATTA SAI PRASADA CHASTRY	LAODE	30.00	EC	33.33	EP&C LAB	60.00	CMIC	37.20	EP	26.47	CP	31.25
16951A04D2	ANEM SAI KRISHNA	LAODE	92.10	EC	89.65	EP&C LAB	85.71	CMIC	87.17	EP	87.50	CP	91.17
16951A0132	BOHI MAHESHWAR	ENG	76.00	LAODE	85.71	EC	67.74	AP	90.47	ED	73.33	COMM LAB	58.33
16951A0423	BANDARU RENUKA KUMAR	LAODE	90.00	EC	87.87	EP&C LAB	100.00	CMIC	93.02	EP	94.11	CP	87.50
16951A0306	K BHANUPRAKASH	ENG	86.36	LAODE	83.78	EC	88.57	AP	81.25	ED	80.00	COMM LAB	75.00
16951A0125	JADHAV PIRAJI	ENG	96.00	LAODE	95.23	EC	87.09	AP	97.61	ED	93.33	COMM LAB	100.00
16951A0150	PODEM RANATHKUMAR	ENG	50.00	LAODE	64.28	EC	63.63	AP	68.42	ED	66.66	COMM LAB	80.00
16951A05P7	GOTRIJAVOLU VENKATA SAI PHANI KUMAR	LAODE	93.75	EC	93.93	EP&C LAB	100.00	CMIC	84.44	EP	91.66	CP	75.75
16951A2112	THALLAPALLY BLESSINGTON	ENG	89.28	LAODE	92.68	EC	94.11	AP	97.22	ED	93.61	COMM LAB	100.00
16951A0115	MODALA BHEEMSAGAR	ENG	100.00	LAODE	100.00	EC	100.00	AP	100.00	ED	100.00	COMM LAB	66.66
16951A0152	BANDI SAI KIRAN	ENG	83.33	LAODE	88.09	EC	100.00	AP	94.73	ED	100.00	COMM LAB	100.00
16951A0383	NANGUNOORI SHIVA TARUN	ENG	80.76	LAODE	94.28	EC	94.28	AP	94.28	ED	88.00	COMM LAB	75.00
16951A0589	MOHAMMED MUQTAR	LAODE	94.87	EC	94.28	EP&C LAB	100.00	CMIC	92.10	EP	96.66	CP	95.83
16951A1234	SOMMANAGARI SAI KIRAN REDDY	LAODE	84.61	EC	93.93	EP&C LAB	100.00	CMIC	88.09	EP	84.37	CP	88.88
16951A0417	MALLABOINA ARAVIND	LAODE	77.50	EC	75.75	EP&C LAB	40.00	CMIC	69.76	EP	76.47	CP	78.12
16951A0524	KADALI BABY SHIRISHA	LAODE	81.08	EC	88.88	EP&C LAB	87.50	CMIC	76.31	EP	80.00	CP	91.66
16951A0340	PAWAR KIRANKUMAR	ENG	81.81	LAODE	97.29	EC	88.57	AP	87.50	ED	86.66	COMM LAB	87.50
16951A0559	ECHERLA SATYA DURGA BHAVANI	LAODE	97.29	EC	97.22	EP&C LAB	62.50	CMIC	94.73	EP	96.66	CP	79.16
16951A04K8	SUDHULA TARUN KUMAR	LAODE	85.00	EC	82.14	EP&C LAB	71.42	CMIC	82.92	EP	88.23	CP	78.78
16951A0407	MOHAMMED AHMED MOKHTHAR	LAODE	70.00	EC	72.72	EP&C LAB	100.00	CMIC	69.76	EP	73.52	CP	71.87
16951A0513	GADIPUDI ALEKHYA	LAODE	91.89	EC	91.66	EP&C LAB	87.50	CMIC	89.47	EP	90.00	CP	83.33
16951A2121	KANDRU HARSHA VARDHAN	ENG	78.57	LAODE	80.48	EC	88.23	AP	77.77	ED	87.23	COMM LAB	100.00
16951A0549	VEMULA HARISH	LAODE	97.29	EC	100.00	EP&C LAB	100.00	CMIC	94.73	EP	93.33	CP	83.33
16951A05D8	BELLAMKONDA RAMYA SREE	LAODE	100.00	EC	100.00	EP&C LAB	100.00	CMIC	94.44	EP	100.00	CP	100.00
16951A0445	MITTAGADAPA JAYANTH	LAODE	97.50	EC	100.00	EP&C LAB	80.00	CMIC	95.34	EP	91.17	CP	93.75
16951A04N1	GARIKAPATI YAMINI	LAODE	87.50	EC	85.71	EP&C LAB	85.71	CMIC	85.36	EP	88.23	CP	84.84
16951A0156	PERIYA SAIVIVEK	ENG	94.44	LAODE	95.23	EC	96.96	AP	97.36	ED	66.66	COMM LAB	100.00
16951A05L1	NENAVATH SRIKANTH	LAODE	75.00	EC	69.69	EP&C LAB	83.33	CMIC	82.22	EP	75.00	CP	81.81
16951A2156	NUNETI ARUN KUMAR	ENG	82.60	LAODE	86.48	EC	81.81	AP	77.14	ED	87.75	COMM LAB	60.00
16951A0487	T MOUNIKA	LAODE	83.33	EC	84.37	EP&C LAB	100.00	CMIC	84.61	EP	87.50	CP	91.17

16951A0178	MAILARAM SWARNALATHA	ENG	94.44	LAODE	97.61	EC	96.96	AP	97.36	ED	93.33	COMM LAB	100.00
16951A04K6	SURE KEERTHI	LAODE	92.50	EC	89.28	EP&C LAB	85.71	CMIC	95.12	EP	100.00	CP	90.90
16951A0339	SURE KIRAN	ENG	72.72	LAODE	91.89	EC	88.57	AP	93.75	ED	93.33	COMM LAB	100.00
16951A05G0	GANDHAM SAI MANOJ	LAODE	81.08	EC	96.77	EP&C LAB	100.00	CMIC	77.77	EP	90.00	CP	94.11
16951A04K9	GOLI TRISHUL	LAODE	90.00	EC	89.28	EP&C LAB	85.71	CMIC	92.68	EP	97.05	CP	96.96
16951A2135	MUKUND SINGH	ENG	89.28	LAODE	92.68	EC	97.05	AP	91.66	ED	87.23	COMM LAB	100.00
16951A04E3	KADARI SAI SHIVA	LAODE	92.10	EC	96.55	EP&C LAB	100.00	CMIC	97.43	EP	96.87	CP	94.11
16951A05F6	GADDAM SAIKRISHNA REDDY	LAODE	81.08	EC	87.09	EP&C LAB	85.71	CMIC	75.00	EP	80.00	CP	85.29
16951A0232	TANGUDIGE SRIVIDYA	LAODE	92.85	EC	81.57	EP&C LAB	85.71	CMIC	92.10	EP	86.66	CP	87.50
16951A1233	KOPPULA ROHIT KUMAR	LAODE	87.17	EC	78.78	EP&C LAB	75.00	CMIC	85.71	EP	90.62	CP	80.55
16951A0388	SENADHIPATHI SUSHMA	ENG	88.46	LAODE	94.28	EC	91.42	AP	88.57	ED	100.00	COMM LAB	75.00
16951A2140	JATAVATH NEERAJA	ENG	92.85	LAODE	92.68	EC	97.05	AP	94.44	ED	100.00	COMM LAB	100.00
16951A0325	KANNEGANTI JAHNAVI	ENG	95.45	LAODE	97.29	EC	97.14	AP	96.87	ED	100.00	COMM LAB	100.00
16951A04B7	LINGAM RAJESH	LAODE	97.36	EC	93.10	EP&C LAB	100.00	CMIC	100.00	EP	96.87	CP	100.00
16951A1210	YALAMANDALA KISHOR	LAODE	79.48	EC	81.81	EP&C LAB	75.00	CMIC	83.33	EP	87.50	CP	75.00
16951A2199	SYED KHAJA JAMEELUDDIN	ENG	95.65	LAODE	91.89	EC	90.90	AP	88.57	ED	87.75	COMM LAB	100.00
16951A1258	MASHETTY SAIVEDA	LAODE	87.17	EC	84.84	EP&C LAB	75.00	CMIC	85.71	EP	93.75	CP	80.55
16951A1259	PRAGNYA VEMULA	LAODE	87.17	EC	84.84	EP&C LAB	75.00	CMIC	85.71	EP	84.37	CP	83.33
16951A0542	YADAGINI GAYATHRI DEVI	LAODE	94.59	EC	94.44	EP&C LAB	87.50	CMIC	92.10	EP	93.33	CP	91.66
16951A1256	SAI PRASAD REKHA	LAODE	89.74	EC	90.90	EP&C LAB	100.00	CMIC	88.09	EP	93.75	CP	83.33
16951A05P9	RAVVA SAI SANKETH	LAODE	93.75	EC	90.90	EP&C LAB	100.00	CMIC	93.33	EP	88.88	CP	93.93
16951A0390	GADUPUDI TARUN SAI KRISHNA	ENG	92.30	LAODE	91.42	EC	94.28	AP	94.28	ED	88.00	COMM LAB	100.00
16951A2171	BUDDIGA SAIVAMSHI	ENG	95.65	LAODE	100.00	EC	96.96	AP	88.57	ED	100.00	COMM LAB	100.00
16951A1257	S SANJU	LAODE	74.35	EC	69.69	EP&C LAB	75.00	CMIC	69.04	EP	84.37	CP	77.77
16951A0382	CHIKKA SHIVA PRASAD	ENG	84.61	LAODE	91.42	EC	88.57	AP	91.42	ED	86.00	COMM LAB	50.00
16951A21B2	CHITTEM JOTHI SAI SWAROOP REDDY	ENG	91.30	LAODE	89.18	EC	96.96	AP	62.85	ED	93.87	COMM LAB	100.00
16951A21B1	S N SAI KIRAN	ENG	73.91	LAODE	75.67	EC	84.84	AP	45.71	ED	81.63	COMM LAB	60.00
15951A05B9	VADAPALLI RANGA VASMI KRISHNA	LAODE	25.64	EC	80.00	EP&C LAB	80.00	CMIC	0.00	EP	90.00	CP	95.83
16951A0129	KONDRU KEERTHI PRIYA	ENG	88.00	LAODE	80.95	EC	77.41	AP	80.95	ED	60.00	COMM LAB	41.66
15951A0470	UPPALAPATI KALYAN VARMA	LAODE	22.50	EC	3.03	EP&C LAB	0.00	CMIC	23.25	EP	0.00	CP	31.25

EP&C LAB	33.33	ENG PR LAB	40.00	WORKSH OP	33.33	9
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	67.85	CAD	80.00	CM LAB	100.00	0
CP LAB	66.66	CAD	75.00	CM LAB	64.70	1
EP&C LAB	66.66	ENG PR LAB	100.00	WORKSH OP	66.66	3
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	47.05	2
CP LAB	83.33	CAD	50.00	CM LAB	85.71	1
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	81.81	CAD	100.00	CM LAB	75.00	0
CP LAB	81.81	CAD	80.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	71.42	0
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	40.00	CM LAB	25.00	3
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	75.00	CM LAB	100.00	0
CP LAB	81.81	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	71.42	1
CP LAB	90.90	CAD	40.00	CM LAB	75.00	1

CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
EP&C LAB	85.71	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	53.33	CAD	40.00	CM LAB	83.33	4
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	87.50	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	71.42	ENG PR LAB	85.71	WORKSH OP	100.00	1
CP LAB	81.81	CAD	85.71	CM LAB	100.00	0
CP LAB	90.90	CAD	85.71	CM LAB	75.00	0
CP LAB	86.66	CAD	50.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	87.50	0
CP LAB	83.33	CAD	100.00	CM LAB	83.33	0
EP&C LAB	66.66	ENG PR LAB	80.00	WORKSH OP	83.33	0
CP LAB	93.33	CAD	80.00	CM LAB	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	71.42	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OP	66.66	0
EP&C LAB	37.50	ENG PR LAB	75.00	WORKSH OP	33.33	7
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	66.66	CM LAB	100.00	0
EP&C LAB	75.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0

CP LAB	100.00	CAD	60.00	CM LAB	100.00	1
CP LAB	81.81	CAD	60.00	CM LAB	75.00	1
CP LAB	80.00	CAD	100.00	CM LAB	50.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	85.71	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	50.00	WORKSH OP	66.66	1
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	64.70	5
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	25.00	WORKSH OP	50.00	2
EP&C LAB	85.71	ENG PR LAB	71.42	WORKSH OP	100.00	2
EP&C LAB	85.71	ENG PR LAB	85.71	WORKSH OP	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.85	CAD	100.00	CM LAB	100.00	0
CP LAB	72.72	CAD	85.71	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	75.00	0
CP LAB	86.66	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
CP LAB	100.00	CAD	100.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	83.33	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	85.71	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OP	50.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0

CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	64.70	3
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	66.66	1
CP LAB	54.54	CAD	60.00	CM LAB	37.50	8
CP LAB	81.81	CAD	60.00	CM LAB	87.50	1
CP LAB	84.61	CAD	100.00	CM LAB	80.00	0
EP&C LAB	57.14	ENG PR LAB	42.85	WORKSH OR	100.00	7
CP LAB	92.85	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	83.33	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	83.33	0
CP LAB	93.33	CAD	75.00	CM LAB	82.35	0
CP LAB	83.33	CAD	100.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	66.66	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OR	100.00	2
CP LAB	46.42	CAD	80.00	CM LAB	83.33	2
CP LAB	92.30	CAD	100.00	CM LAB	75.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	83.33	CAD	66.66	CM LAB	85.71	0
EP&C LAB	33.33	ENG PR LAB	20.00	WORKSH OR	33.33	9
CP LAB	83.33	CAD	83.33	CM LAB	71.42	0
CP LAB	100.00	CAD	75.00	CM LAB	82.35	0
CP LAB	73.33	CAD	100.00	CM LAB	52.94	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	66.66	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0

CP LAB	89.28	CAD	100.00	CM LAB	83.33	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	75.00	0
CP LAB	100.00	CAD	60.00	CM LAB	100.00	1
EP&C LAB	100.00	ENG PR LAB	57.14	WORKSH OR	100.00	2
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	66.66	0
EP&C LAB	100.00	ENG PR LAB	75.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	85.71	CM LAB	75.00	0
CP LAB	92.85	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	85.71	0
EP&C LAB	85.71	ENG PR LAB	57.14	WORKSH OR	100.00	3
EP&C LAB	83.33	ENG PR LAB	40.00	WORKSH OR	33.33	8
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	80.00	CAD	75.00	CM LAB	64.70	1
CP LAB	100.00	CAD	80.00	CM LAB	82.35	0
CP LAB	72.72	CAD	71.42	CM LAB	50.00	1
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	85.71	ENG PR LAB	85.71	WORKSH OR	100.00	2
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	85.71	0
CP LAB	80.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	85.71	CM LAB	75.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0

EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
EP&C LAB	28.57	ENG PR LAB	14.28	WORKSH OR	100.00	7
CP LAB	54.54	CAD	80.00	CM LAB	75.00	1
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	16.66	8
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	42.85	ENG PR LAB	28.57	WORKSH OR	78.57	7
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OR	83.33	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.85	CAD	100.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	33.33	1
EP&C LAB	75.00	ENG PR LAB	75.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	71.42	ENG PR LAB	71.42	WORKSH OR	100.00	4
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	83.33	1
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	61.53	CAD	80.00	CM LAB	100.00	3
CP LAB	100.00	CAD	80.00	CM LAB	87.50	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	83.33	0
CP LAB	90.90	CAD	60.00	CM LAB	87.50	1
CP LAB	73.33	CAD	75.00	CM LAB	64.70	1
CP LAB	72.72	CAD	85.71	CM LAB	75.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	80.00	CM LAB	100.00	0

CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	66.66	CAD	100.00	CM LAB	66.66	6
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	87.50	0
CP LAB	61.53	CAD	60.00	CM LAB	100.00	7
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	83.33	CAD	100.00	CM LAB	100.00	0
CP LAB	75.00	CAD	100.00	CM LAB	100.00	1
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	75.00	ENG PR LAB	75.00	WORKSH OP	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	50.00	1
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	83.33	ENG PR LAB	40.00	WORKSH OP	83.33	1
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OP	100.00	1
CP LAB	100.00	CAD	60.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	0
CP LAB	66.66	CAD	50.00	CM LAB	52.94	7
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	42.85	ENG PR LAB	28.57	WORKSH OP	78.57	8
EP&C LAB	87.50	ENG PR LAB	75.00	WORKSH OP	66.66	0

CP LAB	90.90	CAD	85.71	CM LAB	100.00	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	60.00	CM LAB	100.00	1
CP LAB	100.00	CAD	40.00	CM LAB	100.00	1
CP LAB	90.90	CAD	71.42	CM LAB	50.00	5
CP LAB	86.66	CAD	80.00	CM LAB	100.00	0
CP LAB	69.23	CAD	75.00	CM LAB	80.00	2
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	81.81	CAD	100.00	CM LAB	87.50	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OR	100.00	0
CP LAB	80.00	CAD	80.00	CM LAB	100.00	0
CP LAB	53.84	CAD	50.00	CM LAB	80.00	8
CP LAB	92.30	CAD	80.00	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	89.28	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	66.66	1
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	75.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	75.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	82.35	0
EP&C LAB	37.50	ENG PR LAB	25.00	WORKSH OR	16.66	9

EP&C LAB	85.71	ENG PR LAB	57.14	WORKSH OP	78.57	1
EP&C LAB	87.50	ENG PR LAB	41.66	WORKSH OP	50.00	2
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	60.71	CAD	40.00	CM LAB	66.66	4
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OP	64.70	3
CP LAB	72.72	CAD	100.00	CM LAB	87.50	0
CP LAB	80.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	75.00	CAD	80.00	CM LAB	83.33	1
CP LAB	72.72	CAD	85.71	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	72.72	CAD	85.71	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	66.66	1
EP&C LAB	87.50	ENG PR LAB	75.00	WORKSH OP	66.66	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	80.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	91.66	CAD	80.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	72.72	CAD	20.00	CM LAB	62.50	7
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	80.00	CM LAB	100.00	0

EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	0
CP LAB	91.66	CAD	66.66	CM LAB	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	75.00	0
CP LAB	86.66	CAD	50.00	CM LAB	82.35	1
CP LAB	80.00	CAD	80.00	CM LAB	82.35	0
CP LAB	78.57	CAD	100.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	73.33	CAD	50.00	CM LAB	82.35	1
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
CP LAB	66.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	80.00	CAD	80.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	71.42	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	50.00	3
CP LAB	58.33	CAD	66.66	CM LAB	100.00	3
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	67.85	CAD	40.00	CM LAB	83.33	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	66.66	0
EP&C LAB	62.50	ENG PR LAB	100.00	WORKSH OR	100.00	1

EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	82.35	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	73.33	CAD	50.00	CM LAB	52.94	7
CP LAB	100.00	CAD	75.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	83.33	0
CP LAB	80.00	CAD	100.00	CM LAB	88.23	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	75.00	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
CP LAB	91.66	CAD	83.33	CM LAB	85.71	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	50.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	85.71	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	64.70	1
CP LAB	86.66	CAD	75.00	CM LAB	100.00	0
CP LAB	92.85	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	100.00	2
CP LAB	84.61	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	66.66	CAD	80.00	CM LAB	66.66	4
EP&C LAB	85.71	ENG PR LAB	57.14	WORKSH OR	100.00	2
CP LAB	66.66	CAD	100.00	CM LAB	83.33	1
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	66.66	0

CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	86.66	CAD	75.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	82.35	1
CP LAB	86.66	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	82.35	0
EP&C LAB	100.00	ENG PR LAB	40.00	WORKSH OR	33.33	5
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	72.72	CAD	85.71	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	50.00	2
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	2
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	66.66	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	83.33	1
CP LAB	91.66	CAD	80.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	82.35	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0

CP LAB	83.33	CAD	100.00	CM LAB	85.71	0
CP LAB	90.90	CAD	60.00	CM LAB	87.50	1
EP&C LAB	37.50	ENG PR LAB	50.00	WORKSH OR	66.66	8
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0
CP LAB	57.14	CAD	100.00	CM LAB	83.33	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OR	83.33	6
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	70.58	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	85.71	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	83.33	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	80.00	0
CP LAB	90.00	CAD	80.00	CM LAB	82.35	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	83.33	1
CP LAB	90.90	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	88.23	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	82.35	1
CP LAB	90.90	CAD	71.42	CM LAB	50.00	1
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	75.00	CAD	80.00	CM LAB	83.33	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0

CP LAB	90.00	CAD	60.00	CM LAB	52.94	3
CP LAB	86.66	CAD	60.00	CM LAB	66.66	1
CP LAB	83.33	CAD	83.33	CM LAB	85.71	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	80.00	CAD	60.00	CM LAB	50.00	4
CP LAB	90.90	CAD	100.00	CM LAB	75.00	0
CP LAB	90.00	CAD	80.00	CM LAB	100.00	1
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	29.41	5
CP LAB	100.00	CAD	100.00	CM LAB	66.66	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	66.66	CAD	100.00	CM LAB	100.00	1
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OP	100.00	0
CP LAB	76.92	CAD	50.00	CM LAB	80.00	5
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	57.14	WORKSH OP	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	82.35	0
CP LAB	63.63	CAD	60.00	CM LAB	50.00	4
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	83.33	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	85.71	CM LAB	100.00	0
CP LAB	100.00	CAD	60.00	CM LAB	82.35	2
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	83.33	CAD	100.00	CM LAB	100.00	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	90.90	CAD	85.71	CM LAB	75.00	0
CP LAB	73.33	CAD	80.00	CM LAB	100.00	0

EP&C LAB	28.57	ENG PR LAB	0.00	WORKSH OR	57.14	9
CP LAB	81.81	CAD	85.71	CM LAB	75.00	0
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	89.28	CAD	80.00	CM LAB	100.00	0
CP LAB	89.28	CAD	80.00	CM LAB	100.00	0
CP LAB	76.92	CAD	75.00	CM LAB	80.00	0
CP LAB	71.42	CAD	60.00	CM LAB	83.33	2
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	40.00	WORKSH OR	66.66	5
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	61.53	CAD	40.00	CM LAB	100.00	2
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	66.66	0
EP&C LAB	57.14	ENG PR LAB	14.28	WORKSH OR	78.57	8
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	83.33	0
CP LAB	75.00	CAD	66.66	CM LAB	42.85	1
CP LAB	80.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	75.00	ENG PR LAB	100.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	75.00	0
CP LAB	100.00	CAD	75.00	CM LAB	100.00	0
CP LAB	30.00	CAD	0.00	CM LAB	17.64	9

EP&C LAB	75.00	ENG PR LAB	75.00	WORKSH OP	66.66	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	64.28	CAD	80.00	CM LAB	83.33	1
CP LAB	69.23	CAD	80.00	CM LAB	50.00	6
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	66.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	83.33	CAD	100.00	CM LAB	100.00	0
CP LAB	83.33	CAD	66.66	CM LAB	85.71	0
CP LAB	100.00	CAD	100.00	CM LAB	50.00	3
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	83.33	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	71.42	CM LAB	75.00	0
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	75.00	CAD	50.00	CM LAB	57.14	4
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	100.00	0
CP LAB	71.42	CAD	80.00	CM LAB	100.00	1
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	85.71	ENG PR LAB	71.42	WORKSH OP	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0

EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	67.85	CAD	80.00	CM LAB	83.33	0
CP LAB	81.81	CAD	80.00	CM LAB	75.00	0
CP LAB	76.92	CAD	80.00	CM LAB	75.00	0
CP LAB	84.61	CAD	40.00	CM LAB	100.00	1
CP LAB	100.00	CAD	50.00	CM LAB	100.00	1
EP&C LAB	66.66	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	0
CP LAB	83.33	CAD	100.00	CM LAB	85.71	0
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	1
CP LAB	72.72	CAD	80.00	CM LAB	87.50	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OR	100.00	6
EP&C LAB	50.00	ENG PR LAB	100.00	WORKSH OR	16.66	8
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	78.57	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	66.66	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0

CP LAB	67.85	CAD	80.00	CM LAB	66.66	0
CP LAB	81.81	CAD	100.00	CM LAB	50.00	1
CP LAB	76.92	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	85.71	0
CP LAB	53.33	CAD	80.00	CM LAB	83.33	4
CP LAB	90.90	CAD	100.00	CM LAB	75.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	82.35	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	69.23	CAD	75.00	CM LAB	60.00	1
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	83.33	2
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	81.81	CAD	80.00	CM LAB	87.50	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	75.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	76.92	CAD	80.00	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OP	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	78.57	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	90.00	CAD	80.00	CM LAB	64.70	2
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OP	100.00	0

CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	1
CP LAB	100.00	CAD	60.00	CM LAB	87.50	1
CP LAB	93.33	CAD	25.00	CM LAB	88.23	1
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	0
CP LAB	69.23	CAD	0.00	CM LAB	80.00	2
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	64.70	1
CP LAB	72.72	CAD	85.71	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	66.66	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	81.81	CAD	60.00	CM LAB	75.00	1
CP LAB	75.00	CAD	60.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0

EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	83.33	2
CP LAB	69.23	CAD	80.00	CM LAB	75.00	1
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	20.00	WORKSH OP	16.66	7
CP LAB	90.90	CAD	40.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	85.71	0
CP LAB	100.00	CAD	100.00	CM LAB	87.50	0
CP LAB	81.81	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	66.66	ENG PR LAB	80.00	WORKSH OP	47.05	4
CP LAB	100.00	CAD	100.00	CM LAB	75.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	82.35	0
CP LAB	90.00	CAD	80.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	40.00	CM LAB	75.00	2
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	76.92	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	87.50	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	72.72	CAD	85.71	CM LAB	100.00	0
CP LAB	76.92	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0

CP LAB	72.72	CAD	100.00	CM LAB	75.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	1
CP LAB	100.00	CAD	100.00	CM LAB	88.23	0
CP LAB	86.66	CAD	75.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	75.00	0
CP LAB	61.53	CAD	75.00	CM LAB	60.00	7
CP LAB	63.63	CAD	40.00	CM LAB	87.50	2
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	1
EP&C LAB	50.00	ENG PR LAB	100.00	WORKSH OP	47.05	7
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	71.42	CAD	80.00	CM LAB	100.00	0
EP&C LAB	62.50	ENG PR LAB	50.00	WORKSH OP	66.66	2
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	82.35	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	75.00	CM LAB	80.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	80.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	82.35	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	76.92	CAD	100.00	CM LAB	80.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	83.33	0
CP LAB	63.63	CAD	20.00	CM LAB	62.50	4
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0

CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	66.66	ENG PR LAB	40.00	WORKSH OR	33.33	8
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	82.14	CAD	80.00	CM LAB	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	63.63	CAD	57.14	CM LAB	25.00	9
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	93.33	CAD	100.00	CM LAB	83.33	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	0
CP LAB	66.66	CAD	75.00	CM LAB	64.70	3
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	75.00	WORKSH OR	83.33	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	80.00	CM LAB	87.50	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	57.14	CM LAB	100.00	1
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0
CP LAB	84.61	CAD	100.00	CM LAB	80.00	0
CP LAB	91.66	CAD	83.33	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	33.33	7

CP LAB	100.00	CAD	100.00	CM LAB	80.00	0
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	83.33	0
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OP	100.00	1
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	71.42	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	76.92	CAD	80.00	CM LAB	100.00	0
CP LAB	78.57	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	89.28	CAD	80.00	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
CP LAB	70.00	CAD	100.00	CM LAB	100.00	0
CP LAB	80.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	67.85	CAD	80.00	CM LAB	100.00	1
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	83.33	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	83.33	0
CP LAB	83.33	CAD	83.33	CM LAB	85.71	0
CP LAB	89.28	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	45.45	CAD	71.42	CM LAB	50.00	8

CP LAB	76.92	CAD	100.00	CM LAB	80.00	0
CP LAB	86.66	CAD	80.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	85.71	ENG PR LAB	42.85	WORKSH OR	78.57	1
CP LAB	86.66	CAD	100.00	CM LAB	83.33	0
CP LAB	90.90	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	50.00	ENG PR LAB	60.00	WORKSH OR	50.00	8
CP LAB	73.33	CAD	60.00	CM LAB	83.33	1
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	66.66	2
CP LAB	25.00	CAD	0.00	CM LAB	28.57	9
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	88.23	0
CP LAB	90.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	50.00	1
CP LAB	40.00	CAD	60.00	CM LAB	52.94	8
EP&C LAB	50.00	ENG PR LAB	100.00	WORKSH OR	82.35	3
EP&C LAB	87.50	ENG PR LAB	75.00	WORKSH OR	66.66	1
CP LAB	39.28	CAD	80.00	CM LAB	66.66	7
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OR	66.66	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	91.66	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	87.50	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	50.00	4
CP LAB	93.33	CAD	100.00	CM LAB	100.00	0

EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	50.00	2
CP LAB	100.00	CAD	100.00	CM LAB	83.33	0
CP LAB	83.33	CAD	80.00	CM LAB	66.66	1
CP LAB	86.66	CAD	75.00	CM LAB	100.00	0
EP&C LAB	85.71	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	60.00	CM LAB	100.00	1
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	70.00	CAD	80.00	CM LAB	82.35	0
CP LAB	100.00	CAD	85.71	CM LAB	75.00	0
CP LAB	100.00	CAD	75.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	82.35	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	92.30	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	90.90	CAD	80.00	CM LAB	100.00	0
CP LAB	40.00	CAD	50.00	CM LAB	82.35	8
CP LAB	92.30	CAD	50.00	CM LAB	100.00	1
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	1
EP&C LAB	100.00	ENG PR LAB	75.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	78.57	CAD	100.00	CM LAB	83.33	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
CP LAB	90.00	CAD	100.00	CM LAB	100.00	1
CP LAB	86.66	CAD	100.00	CM LAB	83.33	1
EP&C LAB	83.33	ENG PR LAB	60.00	WORKSH OR	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	83.33	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	1

EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OR	70.58	1
EP&C LAB	83.33	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	85.71	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	90.00	CAD	60.00	CM LAB	82.35	1
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	80.00	CAD	25.00	CM LAB	100.00	1
EP&C LAB	33.33	ENG PR LAB	20.00	WORKSH OR	33.33	9
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	84.61	CAD	50.00	CM LAB	80.00	1
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
EP&C LAB	62.50	ENG PR LAB	50.00	WORKSH OR	66.66	5
CP LAB	76.92	CAD	100.00	CM LAB	100.00	0
CP LAB	67.85	CAD	80.00	CM LAB	83.33	0
CP LAB	86.66	CAD	100.00	CM LAB	64.70	1
EP&C LAB	100.00	ENG PR LAB	75.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	80.00	CAD	100.00	CM LAB	100.00	0
CP LAB	91.66	CAD	80.00	CM LAB	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	71.42	ENG PR LAB	100.00	WORKSH OR	100.00	0

CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	83.33	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
EP&C LAB	62.50	ENG PR LAB	100.00	WORKSH OP	50.00	3
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	66.66	2
CP LAB	100.00	CAD	85.71	CM LAB	100.00	0
CP LAB	91.66	CAD	83.33	CM LAB	85.71	0
CP LAB	80.00	CAD	80.00	CM LAB	82.35	0
CP LAB	100.00	CAD	80.00	CM LAB	87.50	0
EP&C LAB	87.50	ENG PR LAB	75.00	WORKSH OP	83.33	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	80.00	CAD	80.00	CM LAB	66.66	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	89.28	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OP	64.70	5
CP LAB	80.00	CAD	100.00	CM LAB	83.33	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OP	100.00	0
EP&C LAB	66.66	ENG PR LAB	60.00	WORKSH OP	52.94	6
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
EP&C LAB	50.00	ENG PR LAB	60.00	WORKSH OP	83.33	6
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OP	82.35	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	90.90	CAD	60.00	CM LAB	87.50	1
EP&C LAB	100.00	ENG PR LAB	83.33	WORKSH OP	50.00	1
EP&C LAB	100.00	ENG PR LAB	85.71	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	85.71	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0

CP LAB	40.00	CAD	25.00	CM LAB	35.29	9
CP LAB	90.90	CAD	80.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	70.58	1
CP LAB	100.00	CAD	75.00	CM LAB	100.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	66.66	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
EP&C LAB	71.42	ENG PR LAB	42.85	WORKSH OR	78.57	4
CP LAB	72.72	CAD	100.00	CM LAB	75.00	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	71.42	WORKSH OR	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	86.66	CAD	75.00	CM LAB	82.35	1
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	80.00	WORKSH OR	66.66	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	1
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	80.00	CAD	100.00	CM LAB	64.70	1
CP LAB	83.33	CAD	100.00	CM LAB	83.33	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OR	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	82.35	0
CP LAB	84.61	CAD	60.00	CM LAB	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OR	100.00	0
CP LAB	72.72	CAD	85.71	CM LAB	75.00	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OR	83.33	1
CP LAB	75.00	CAD	83.33	CM LAB	71.42	0

EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	92.30	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	60.00	WORKSH OP	100.00	1
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	87.50	0
CP LAB	86.66	CAD	100.00	CM LAB	100.00	0
CP LAB	76.92	CAD	75.00	CM LAB	100.00	0
CP LAB	80.00	CAD	100.00	CM LAB	82.35	0
EP&C LAB	66.66	ENG PR LAB	80.00	WORKSH OP	83.33	0
EP&C LAB	87.50	ENG PR LAB	100.00	WORKSH OP	83.33	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	0
CP LAB	100.00	CAD	100.00	CM LAB	87.50	0
CP LAB	90.00	CAD	100.00	CM LAB	88.23	0
EP&C LAB	83.33	ENG PR LAB	80.00	WORKSH OP	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	100.00	CAD	80.00	CM LAB	100.00	0
CP LAB	91.66	CAD	100.00	CM LAB	100.00	0
CP LAB	100.00	CAD	100.00	CM LAB	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	0
CP LAB	80.00	CAD	60.00	CM LAB	82.35	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	100.00	1
EP&C LAB	100.00	ENG PR LAB	100.00	WORKSH OP	83.33	2
CP LAB	100.00	CAD	60.00	CM LAB	0.00	4
EP&C LAB	50.00	ENG PR LAB	100.00	WORKSH OP	64.70	4
CP LAB	33.33	CAD	75.00	CM LAB	35.29	8